

Safety Data Sheet

SUMA DETERGENT 132

Revision: 2018-05-17 **Version:** 01.0

SECTION 1: Identification of the substance/mixture and supplier

1.1 Product identifier

Product name: SUMA DETERGENT 132

1.2 Recommended use and restrictions on use

Identified uses:

Machine ware washing detergent

Restrictions of use:

Uses other than those identified are not recommended

1.3 Details of the supplier

DIVERSEY NEW ZEALAND LTD.

24 Bancroft Crescent, Glendene, Auckland, 0602, New Zealand

Telephone: +64 9 813 9800; 0800 803 615 (toll free)

Fax: + 64 9 813 9801 Website: www.diversey.com

1.4 Emergency telephone number

Call 0800 243 622 (24 hrs)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

HSNO Classification

6.1D - Acutely toxic (oral)

6.7B - Suspected human carcinogens

8.1A - Corrosive to metals

8.2B - Corrosive to dermal tissue

8.3A - Corrosive to ocular tissue

GHS Equivalent Classification

Acute toxicity, oral, Category 4 Carcinogenicity, Category 2 Corrosive to metals, Category 1 Skin corrosion, Category 1B

2.2 Label elements



Signal word: Danger

Hazard statements:

H314 - Causes severe skin burns and eye damage.

H351 - Suspected of causing cancer.

H302 - Harmful if swallowed.

H290 - May be corrosive to metals.

Prevention statement(s):

P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

P233 - Keep container tightly closed.

P234 - Keep only in original packaging.

P264 - Wash face, hands and any exposed skin thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product.

P280 - Wear protective gloves, protective clothing and eye or face protection.

P281 - Use personal protection equipment as required.

Response statement(s):

P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P301 + P312 - IF SWALLOWED: Call a POISON CENTRE, doctor or physician if you feel unwell.

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P310 - Immediately call a POISON CENTRE, doctor or physician.

P321 - Specific treatment (see supplemental first aid instructions on this label).

P330 - Rinse mouth.

P363 - Wash contaminated clothing before reuse. P390 - Absorb spillage to prevent material damage.

Storage statement(s):

P405 - Store locked up.

P406 - Store in corrosive-resistant container with a resistant inner liner.

Disposal statement(s):

P501 - Dispose of unused content as chemical waste.

2.3 Other hazards

No other hazards known.

2.4 Classification diluted product:

Recommended maximum concentration (%): 0.4

HSNO Classification

6.3B - Mildly irritating to the skin

GHS Equivalent Classification

Skin irritation, Category 3

2.5 Label elements diluted product

H316 - Causes mild skin irritation.

SECTION 3: Composition/information on ingredients

3.1 Substances / Mixtures

Ingredient(s)	CAS number	EC number	Weight percent
sodium hydroxide	1310-73-2	215-185-5	10-30
trisodium nitrilotriacetate	5064-31-3	225-768-6	3-10

Non-hazardous ingredients are the remainder and add up to 100%.

Workplace exposure limit(s), if available, are listed in subsection 8.1.

SECTION 4: First aid measures

4.1 Description of first aid measures

General Information: Symptoms of intoxication may even occur after several hours. It is recommended to continue

medical observation for at least 48 hours after the incident. If unconscious place in recovery position and seek medical advice. Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. No mouth-to-mouth or mouth-to-nose resuscitation. Use Ambu bag or ventilator. IF

exposed or concerned: Get medical advice or attention.

Inhalation: Remove person to fresh air and keep comfortable for breathing. Get medical attention or advice if

you feel unwell.

Skin contact: Take off immediately all contaminated clothing and wash it before re-use. Immediately call a

POISON CENTRE, doctor or physician.

Eye contact: Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE,

doctor or physician.

Ingestion: Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious

person. Do NOT induce vomiting. Keep at rest. Immediately call a POISON CENTRE, doctor or

physician. Get medical attention or advice if you feel unwell.

Self-protection of first aider: Consider personal protective equipment as indicated in subsection 8.2.

First aid facilities: Shower and eyewash facilities should be considered in a workplace where necessary.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation: Suspected of causing cancer.

Skin contact: Causes severe burns. Suspected of causing cancer.

Eye contact: Causes severe or permanent damage.

Ingestion: Suspected of causing cancer. Ingestion will lead to a strong caustic effect on mouth and throat and

to the danger of perforation of oesophagus and stomach.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

Poison Information Center: Call 0800 764 766 (0800 POISON)

SECTION 5: Firefighting measures

5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

5.4 Hazchem code

2R

- 2 Fine water spray
- R Liquid-tight chemical protective clothing and breathing apparatus. Dilute.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear suitable protective clothing, gloves and eye/face protection.

6.2 Environmental precautions

Do not allow to enter drainage system, surface or ground water. Dilute with plenty of water.

6.3 Methods and material for containment and cleaning up

Use neutralising agent. Absorb onto dry sand or similar inert material.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire and explosions:

No special precautions required.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless adviced by Diversey. Wash hands before breaks and at the end of workday. Wash face, hands and any exposed skin thoroughly after handling. Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. Store used personal protective equipment separately. Use personal protective equipment as required. Avoid contact with skin and eyes. Do not eat, drink or smoke when using this product. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging. For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters Workplace exposure limits

Air limit values, if available:

Ingredient(s)	Long term value(s)	Short term value(s)	Ceiling value(s)
sodium hydroxide			2 mg/m ³

Biological limit values, if available:

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the <u>undiluted</u> product:

Covering activities such as filling and transfer of product to application equipment, flasks or buckets

Appropriate engineering controls: If the product is diluted by using specific dosing systems with no risk of splashes or direct skin

contact, the personal protection equipment as described in this section is not required. Where possible: use in automated/closed system and cover open containers. Transport over pipes. Filling

with automatic systems. Use tools for manual handling of product.

Appropriate organisational controls: Avoid direct contact and/or splashes where possible. Train personnel.

Personal protective equipment

Eye / face protection: Safety glasses or goggles (EN 166). The use of a full-face shield or other full-face protection is

strongly recommended when handling open containers or if splashes may occur.

Hand protection: Chemical-resistant protective gloves (EN 374). Verify instructions regarding permeability and

breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such

as risk of splashes, cuts, contact time and temperature.

Suggested gloves for prolonged contact: Material: butyl rubber Penetration time: ≥ 480 min Material

thickness: ≥ 0.7 mm

Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time: ≥ 30 min

Material thickness: ≥ 0.4 mm

In consultation with the supplier of protective gloves a different type providing similar protection may

be chosen.

Body protection: Wear chemical-resistant clothing and boots in case direct dermal exposure and/or splashes may

occur (EN 14605).

Respiratory protection: No special requirements under normal use conditions.

Environmental exposure controls: Should not reach sewage water or drainage ditch undiluted or unneutralised.

Recommended safety measures for handling the diluted product:

Recommended maximum concentration (%): 0.4

Appropriate engineering controls: No special requirements under normal use conditions.

Appropriate organisational controls: Avoid direct contact and/or splashes where possible. Train personnel.

Personal protective equipment

Eye / face protection: No special requirements under normal use conditions. Hand protection: No special requirements under normal use conditions. Body protection: No special requirements under normal use conditions. No special requirements under normal use conditions. Respiratory protection:

Environmental exposure controls: No special requirements under normal use conditions.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Method / remark

Physical State: Liquid Colour: Clear. Pale Yellow Odour: Product specific Odour threshold: Not applicable

pH: ≈ 14 (neat) ISO 4316

Melting point/freezing point (°C): Not determined Not relevant to classification of this product

Initial boiling point and boiling range (°C): Not determined Flash point (°C): Not applicable.

Sustained combustion: Not applicable. (UN Manual of Tests and Criteria, section 32, L.2) Evaporation rate: Not determined

Flammability (solid, gas): Not applicable to liquids

Upper/lower flammability limit (%): Not determined

Vapour pressure: Not determined Vapour density: Not determined Relative density: ≈ 1.2 (20 °C)

Not relevant to classification of this product

Not relevant to classification of this product

OECD 109 (EU A.3)

Solubility in / Miscibility with Water: Fully miscible

Partition coefficient: n-octanol/water No information available. Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Autoignition temperature: Not determined Decomposition temperature: Not applicable.

Viscosity: Not determined

Explosive properties: Not explosive. **Oxidising properties:** Not oxidising

9.2 Other information

Surface tension (N/m): Not determined Corrosion to metals: Corrosive

Weight of evidence

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

Reacts with acids.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixture data:.

Relevant calculated ATE(s):

ATE - Oral (mg/kg): 5100 ATE - Dermal (mg/kg): >2000

Substance data, where relevant and available, are listed below:.

Acute toxicity

Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
sodium hydroxide		No data			
		available			
trisodium nitrilotriacetate	LD 50	1740	Rat	OECD 401 (EU B.1)	

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
sodium hydroxide	LD 50	1350	Rabbit	Method not given	
trisodium nitrilotriacetate	LD 50	> 10000	Rat	Non guideline test	

Acute inhalative toxicity

Acute initialitive toxicity					
Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium hydroxide		No data available			
trisodium nitrilotriacetate	LC 50	> 5	Rat	Method not given	4

Irritation and corrosivity

Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium hydroxide	Corrosive	Rabbit	Method not given	
trisodium nitrilotriacetate	Not irritant	Rabbit	Method not given	

e irritation and corros	sivity											
	Ingre	dient(s)				esult	Spe		Meth		Ex	posure tim
		hydroxide				rosive		bbit	Method n			
	trisodium n	itrilotriacet	ate		Irr	ritant	Ra	bbit	Method n	ot given		
espiratory tract irritation	on and corrosivi	ty										
	Ingre	dient(s)				esult	Spe	cies	Meth	od	Ex	posure tim
	trisodium n	hydroxide	ate.			a available a available						
ensitisation ensitisation by skin co	ntact								•			
Ingredient(s) sodium hydroxide						sult	Spe	cies	Meth			osure time
	sodium	hydroxide			Not se	ensitising			Human repe			
	trisodium n	itrilotriaceta	ate		Not se	ensitising	Guin	ea pig	OECD 406 Buehle			
ensitisation by inhalati	ion								•			
	Ingre	dient(s)				esult	Spe	cies	Meth	od	Ex	posure tim
	sodium trisodium n	hydroxide	oto			a available a available					\vdash	
	hydroxide		Result (i		gative		r test No		Result (in-v		ative	Method (in-vivo
	test res				on rat hepatocyte OECD 473			test results				B.12) OE(475 (EU B
trisodium ni	itrilotriacetate		No evidence for mut	agenicity n	aviten	1	INIc	avidan	nce for mutage	nicity nega	tivo	
trisodium ni	itrilotriacetate		No evidence for mut test results	agenicity, n	egative			eviden t result	nce for mutage s	nicity, nega	tive	
	itrilotriacetate			agenicity, n	egative					nicity, nega	ative	
	Ingre	edient(s)	test results	agenicity, n	Effect		tes	t result	es .		ative	
	Ingre sodium	edient(s) hydroxide	test results	agenicity, no	Effect No evid		rcinoger	icity, w	reight-of-evider		ative	
	Ingre	edient(s) hydroxide	test results	agenicity, no	Effect No evid	dence for ca	rcinoger	icity, w	reight-of-evider		ative	
arcinogenicity oxicity for reproduction	Ingre sodium trisodium r	edient(s) hydroxide	test results		Effect No evid Limited	evidence o	rcinoger f a carci	icity, w	reight-of-evider c effect.	nce		other effec
example of the second of the s	Ingre sodium trisodium r	edient(s) hydroxide	test results	Valu (mg/kg b	Effect No evid Limited		rcinoger	icity, w	reight-of-evider	Remarks	s and	
oxicity for reproduction Ingredient(s) sodium hydroxide	sodium trisodium r	edient(s) hydroxide nitrilotriace	test results etate pecific effect	Valu (mg/kg b No da availat	Effect No evid Limited	evidence o	rcinoger f a carci	icity, w	reight-of-evider c effect. Exposure time	Remarks No evidence toxicity No reproductive	s and repo	rted developme ence for icity
arcinogenicity oxicity for reproduction Ingredient(s)	Ingre sodium trisodium r	edient(s) hydroxide nitrilotriace	test results	Valu (mg/kg b	Effect No evid Limited	evidence o	rcinoger f a carci	icity, w nogenio	reight-of-evider c effect. Exposure time	Remarks No evidence toxicity No reproductive	s and repo	rted developme ence for
epeated dose toxi	sodium r trisodium r Endpoint	edient(s) hydroxide nitrilotriace	test results etate pecific effect	Valu (mg/kg b No da availat	Effect No evid Limited	evidence o	rcinoger f a carci	icity, w nogenio	reight-of-evider c effect. Exposure time	Remarks No evidenct toxicity No reproductiv	s and repo ce for evide ve tox	rted developme ence for icity
arcinogenicity exicity for reproduction Ingredient(s) sodium hydroxide trisodium nitrilotriacetate epeated dose toxi ub-acute or sub-chron	sodium r trisodium r Endpoint	edient(s) hydroxide nitrilotriace	test results etate pecific effect	Valu (mg/kg b No da availat	Effect No evid Limited ew/d) a	evidence o	rcinoger f a carci Meth	icity, w nogenio	eight-of-evider c effect. Exposure time	Remarks No evidence toxicity No reproductiv No evidence toxicity	s and repo ce for evide ve tox ce for	rted developme ence for icity
arcinogenicity poxicity for reproduction Ingredient(s) sodium hydroxide trisodium nitrilotriacetate epeated dose toxi ub-acute or sub-chron In	sodium r trisodium r Endpoint NOEL	edient(s) hydroxide nitrilotriace	test results etate pecific effect elopmental toxicity	Value (mg/kg b	Effect No evid Limited w/d) a	Species Rat	rcinoger f a carci Meth	icity, w nogenic	reight-of-evider c effect. Exposure time	Remarks No evidence toxicity No reproductiv No evidence toxicity	s and repo ce for evide ve tox ce for	developme ence for icity reproductiv
arcinogenicity oxicity for reproduction Ingredient(s) sodium hydroxide trisodium nitrilotriacetate epeated dose toxi ub-acute or sub-chron In sod	Ingressodium restricted in the sodium restrict	edient(s) hydroxide hitrilotriace	test results etate pecific effect elopmental toxicity	Value (mg/kg by No dat availab	Effect No evid Limited ew/d) aa ale a	Species Rat	rcinoger f a carci Meth	icity, w nogenic	eight-of-evider c effect. Exposure time	Remarks No evidence toxicity No reproductiv No evidence toxicity	s and repo ce for evide ve tox ce for	developme ence for icity reproductiv
arcinogenicity exicity for reproduction Ingredient(s) sodium hydroxide trisodium nitrilotriacetate epeated dose toxi ub-acute or sub-chron In sod trisodiu	sodium roman service sodium roman service serv	edient(s) hydroxide hitrilotriace	test results etate pecific effect elopmental toxicity	Value (mg/kg but No dat availab	Effect No evid Limited ew/d) aa ale a	Species Rat	rcinoger f a carci Meth	icity, w nogenic	eight-of-evider c effect. Exposure time	Remarks No evidence toxicity No reproductiv No evidence toxicity	s and repo ce for evide ve tox ce for	developme ence for icity reproductiv
arcinogenicity poxicity for reproduction Ingredient(s) sodium hydroxide trisodium nitrilotriacetate epeated dose toxi ub-acute or sub-chronic sod trisodiu ub-chronic dermal toxi	sodium roman service sodium roman service serv	edient(s) hydroxide hitrilotriace	test results etate pecific effect elopmental toxicity	Value (mg/kg by No dat availab No dat availab Value	Effect No evid Limited ew/d) a e e a e	Species Rat	rcinoger f a carci Meth OECC (EU E or	icity, w nogenic	eight-of-evider c effect. Exposure time Exposure time (days	Remarks No evidence toxicity No evidence toxicity Specific Specific Specific	s and repo ce for eve tox ce for	developme ence for icity reproductiv
arcinogenicity Discrete production ingredient(s) sodium hydroxide trisodium nitrilotriacetate epeated dose toxi ub-acute or sub-chron in sodium trisodium trisodium in sodium trisodium sodium sod	Ingresodium resodium resodium resodium resodium resodium resolution resolutio	edient(s) hydroxide hitrilotriace	pecific effect elopmental toxicity Endpoint	Value (mg/kg b No da availab 90 Value (mg/kg bv No dat availab No dat availab	Effect No evid Limited w/d) a e a e a e	Species Rat Species	rcinoger f a carci Meth OECC (EU E or	icity, who nogenion and 416, .35), al	eight-of-evider c effect. Exposure time Exposure time (days	Remarks No evidence toxicity No evidence toxicity Specific Specific Specific	s and repo ce for evide ve tox ce for	rted developme ence for icity reproductiv cts and org
arcinogenicity poxicity for reproduction Ingredient(s) sodium hydroxide trisodium nitrilotriacetate epeated dose toxi ub-acute or sub-chronic lin sod trisodiu ub-chronic dermal toxi In	Ingresodium resodium resodium resodium resodium resodium resorted resolution	Deve	pecific effect elopmental toxicity Endpoint	Value (mg/kg by No dat availab No dat	Effect No evid Limited w/d) a e a e a e a	Species Rat Species	rcinoger f a carci Meth OECC (EU E or	icity, who nogenion and 416, .35), al	eight-of-evider c effect. Exposure time Exposure time (days	Remarks No evidence toxicity No evidence toxicity Specific Specific Specific	s and repo ce for evide ve tox ce for	rted developme ence for icity reproductiv cts and org
arcinogenicity poxicity for reproduction Ingredient(s) sodium hydroxide trisodium nitrilotriacetate epeated dose toxi ub-acute or sub-chronic lin sod trisodiu ub-chronic dermal toxi In	Ingressodium resodium	Deve	pecific effect elopmental toxicity Endpoint	Value (mg/kg by No dat availab No dat availab Value (mg/kg by No dat availab No dat availab	Effect No evid Limited w/d) a e a e a e a	Species Rat Species	rcinoger f a carci Meth OECC (EU E or	icity, who nogenion and 416, .35), al	eight-of-evider c effect. Exposure time Exposure time (days	Remarks No evidence toxicity No evidence toxicity Specific Specific Specific	s and repo ce for evide ve tox ce for	rted developme ence for icity reproductiv cts and org
arcinogenicity exicity for reproduction Ingredient(s) sodium hydroxide trisodium nitrilotriacetate epeated dose toxi ub-acute or sub-chron In sod trisodium sod trisodiu ub-chronic dermal toxi In sod trisodiu	Ingresolum resolum res	Deve	pecific effect Endpoint Endpoint	Value (mg/kg by No dat availab	Effect No evid Limited w/d) a e a e a e a	Species Rat Species Species	rcinoger f a carci	icity, whogenic	Exposure time (days	Remarks No evidence toxicity No evidence toxicity Specific Specific Specific	s and repo ce for evide ve tox ce for effec	rted developme ence for icity reproductiv cts and org cted cts and org cted
arcinogenicity poxicity for reproduction Ingredient(s) sodium hydroxide trisodium nitrilotriacetate epeated dose toxi ub-acute or sub-chron In sod trisodiu ub-chronic dermal toxi In sod trisodiu ub-chronic inhalation to In	Ingressodium trisodium resodium resodiu	Deve	pecific effect elopmental toxicity Endpoint	Value (mg/kg b No da availab Value (mg/kg bv No dat availab No dat availab No dat availab Value (mg/kg bv No dat availab Value (mg/kg bv Value (mg/kg bv	Effect No evid Limited w/d) a a e a e a e a e a fe a fe a fe a fe	Species Rat Species	rcinoger f a carci	icity, who nogenion and 416, .35), al	eight-of-evider c effect. Exposure time Exposure time (days	Remarks No evidence toxicity No evidence toxicity Specific Specific Specific Specific	s and repo ce for evide eve tox ce for effec	rted developme ence for icity reproductiv cts and org
arcinogenicity exicity for reproduction Ingredient(s) sodium hydroxide trisodium nitrilotriacetate epeated dose toxi ub-acute or sub-chron In sod trisodiu ub-chronic dermal toxi In sod trisodiu ub-chronic inhalation to In	Ingresolum resolum res	Deve	pecific effect Endpoint Endpoint	Value (mg/kg b No da availab No dat availab Value (mg/kg bv No dat availab Value Value Value Value Value	Effect No evid Limited w/d) a e a e a e a e a e	Species Rat Species Species	rcinoger f a carci	icity, whogenic	Exposure time (days	Remarks No evidence toxicity No evidence toxicity Specific Specific Specific Specific	s and repo ce for evide eve tox ce for effec	developme ence for icity reproductive ets and orgeted ets

	route		(mg/kg bw/d)			time	organs affected	
sodium hydroxide			No data					
			available					
trisodium		NOAEL	0.231	Rat	Non			
nitrilotriacetate					guideline			
					test			

STOT-single exposure

Ingredient(s)	Affected organ(s)
sodium hydroxide	No data available
trisodium nitrilotriacetate	No data available

STOT-repeated exposure

Ingredient(s)	Affected organ(s)
sodium hydroxide	No data available
trisodium nitrilotriacetate	No data available

Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3. If relevant, see section 9 for dynamic viscosity and relative density of the product.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium hydroxide	LC 50	35	Various species	Method not given	96
trisodium nitrilotriacetate	LC 50	> 100	Pimephales promelas	APHA 1995	-

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium hydroxide	EC 50	40.4	Ceriodaphnia	Method not given	48
			sp.		
trisodium nitrilotriacetate	EC 50	98	Not specified	Method not given	96

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium hydroxide	EC 50	22	Photobacteriu m	Method not given	0.25
			phosphoreum		
trisodium nitrilotriacetate	Er C 50	91.5	Pseudokirchner iella subcapitata	OECD 201 (EU C.3)	72

Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
sodium hydroxide		No data			-
		available			
trisodium nitrilotriacetate		No data			-
		available			

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
sodium hydroxide		No data			
		available			
trisodium nitrilotriacetate	EC 50	3200 - 5600	Pseudomonas	Method not given	8 hour(s)
			putida		

Aquatic long-term toxicity

Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Effects observed
---------------	----------	-------	---------	--------	----------	------------------

	(mg/l)		time	
sodium hydroxide	No data			
	available			
trisodium nitrilotriacetate	No data			
	available			

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
sodium hydroxide		No data				
		available				
trisodium nitrilotriacetate		No data				
		available				

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
sodium hydroxide		No data available			-	
trisodium nitrilotriacetate		No data available			-	

Terrestrial toxicity Terrestrial toxicity - soil invertebrates, including earthworms, if available:									
Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed			
sodium hydroxide		No data available			-				
trisodium nitrilotriacetate		No data available			-				

Terrestrial toxicity - plants, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium hydroxide		No data available			-	
trisodium nitrilotriacetate		No data available			-	

Terrestrial toxicity - birds, if available:

Terrestrial toxicity - birds, il available.						
Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Effects observed
					time (days)	
sodium hydroxide		No data			-	
•		available				
trisodium nitrilotriacetate		No data			-	_
		available				

Terrestrial toxicity - beneficial insects, if available:

Terrestriai toxicity - berieficiai insects, ii avaliable.						
Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Effects observed
		(mg/kg dw			time (days)	
		soil)				
sodium hydroxide		No data			-	
		available				
trisodium nitrilotriacetate		No data			-	
		available				

Terrestrial toxicity - soil bacteria, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium hydroxide		No data available			-	
		avallable				
trisodium nitrilotriacetate		No data			-	
		available				

12.2 Persistence and degradability

Abiotic degradation
Abiotic degradation - photodegradation in air, if available:

	Abiotic degradation - photodegradation in all, il available.									
Ingredient(s)		Half-life time Method		Evaluation	Remark					
	sodium hydroxide	13 second(s)	Method not given	Rapidly photodegradable						

Abiotic degradation - hydrolysis, if available:

Abiotic degradation - other processes, if available:

Biodegradation Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT 50	Method	Evaluation
sodium hydroxide					Not applicable (inorganic substance)
trisodium nitrilotriacetate		BOD removal	90 - 100 % in 28 day(s)	OECD 301B	Readily biodegradable

Ready biodegradability - anaerobic and marine conditions, if available:

Degradation in relevant environmental compartments, if available:

12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow

Tartificity decimalation for the state of th							
Ingredient(s)	Value	Method	Evaluation	Remark			
sodium hydroxide	No data available		Not relevant, does not				
-			bioaccumulate				
trisodium nitrilotriacetate	-13.2	Method not given	No bioaccumulation expected				

Bioconcentration factor (BCF)

Biocontechtration ractor (Bot)							
Ingredient(s)	Value	Species	Method	Evaluation	Remark		
sodium hydroxide	No data available						
trisodium nitrilotriacetate	< 3		Method not given	No bioaccumulation expected			

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
sodium hydroxide	No data available				Mobile in soil
trisodium nitrilotriacetate	No data available				Adsorption to solid soil phase is not expected

12.5 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations

13.1 Waste treatment methods Waste from residues / unused

products:

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

Empty packaging

Recommendation: Dispose of observing national or local regulations.

Suitable cleaning agents: Water, if necessary with cleaning agent.

SECTION 14: Transport information



Land transport, Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)

14.1 UN number: 1824

14.2 UN proper shipping name:

Sodium hydroxide solution

14.3 Transport hazard class(es):

Transport hazard class (and subsidiary risks): 8

14.4 Packing group: II

14.5 Environmental hazards:

Environmentally hazardous: No

Marine pollutant: No

14.6 Special precautions for user: None known.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: The product is not transported in bulk tankers.

Other relevant information:

Hazchem code: 2R

IMO/IMDG

EmS: F-A, S-B

Transport regulations include special provisions for certain classes of dangerous goods packed in limited quantities.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

HSNO Approval Number HSR002588.

Group standard

Cleaning products (Corrosive, Toxic [6.7]) Group Standard 2006

Inventory Listing(s)

New Zealand: NZIoC (New Zealand Inventory of Chemicals)

All components are listed on the NZIoC inventory, or are exempt

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MS32000330 **Version:** 01.0 **Revision:** 2018-05-17

Exposure standards - Time Weighted Average (TWA) or Workplace Exposure Standard (WES) (NZ): Exposure standards are established on the premise of an 8 hour work period of normal intensity, under normal climatic conditions and where a 16 hour break between shifts exists to enable the body to eliminate absorbed contaminants. In the following circumstances, exposure standards must be reduced: strenuous work conditions; hot, humid climates; high altitude conditions; extended shifts (which increase the exposure period and shorten the period of recuperation).

Abbreviations and acronyms:

- DNEL Derived No Effect Limit
- AUH GHS Specific hazard statement
- PNEC Predicted No Effect Concentration
- ATE Acute Toxicity Estimate
- LD50 Lethal Dose, 50% / Median Lethal dose
- LC50 Lethal Concentration, 50% / Median Lethal Concentration
- EC50 effective concentration, 50%
- NOEL No observed effect level
- NOAEL No observed adverse effect level
- STOT-RE Specific target organ toxicity (repeated exposure)
- STOT-SE Specific target organ toxicity (single exposure)
- EC No. European Community Number
- OECD Organization for Economic Cooperation and Development

End of Safety Data Sheet