



## Safety Data Sheet

### 1 – Product Identifier & Identity for the Chemical

<p><b>Manufacturer:</b> WD-40 Company Australia Pty Ltd</p> <p><b>Address:</b> 41 Rawson Street (Level 2, Suite 23) Epping NSW, 2121, Australia</p> <p><b>Telephone:</b> <b>Information:</b> +61 2 9868 2200 <b>Emergency only:</b> 1800 024 973</p> <p><b>Poisons Information Centre:</b> <b>Australia:</b> 13 11 26 <b>New Zealand:</b> 0800 764 766</p> <p><b>New Zealand Contact Details:</b> <b>Name:</b> Eproducts New Zealand Limited <b>Address:</b> 7D Orbit Drive Albany New Zealand <b>Telephone:</b> <b>Information:</b> 09 916 6750</p>	<p><b>Product Name:</b> No Vac Foam Carpet Sanitiser &amp; Deodoriser (Garden Breeze, Linen Breeze, Car Fresh, Fresh, Fresh Pet, Purifying Breeze, Fresh Pet Plus, Polar Breeze, Sheer Vanilla and Orchid, Pure Vanilla)</p> <p><b>Chemical Name:</b> Mixture</p> <p><b>Product Use:</b> Carpet sanitizer and deodorizer, odor eliminator</p> <p><b>Restriction on Use:</b> None Identified</p> <p><b>SDS Date Of Preparation:</b> 31 May 2019</p>
--	--

### 2 – Hazards Identification

#### Classification of the Hazardous Chemical (in accordance with WHS Regulation)

Health	Environmental	Physical
Eye Irritant Category 2 Skin Sensitizer Category 1B	Aquatic Acute Toxicity Category 3	Flammable Aerosol Category 1 Gas Under Pressure: Compressed Gas

#### Label Elements



#### Danger!

H222 Extremely flammable aerosol.  
H280 Contains gas under pressure: may explode if heated.  
H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.  
H402 Harmful to aquatic life.

#### Prevention

P210 Keep away from heat, sparks, open flames and hot surfaces.-No smoking.  
P211 Do not spray on an open flame or other ignition source.  
P251 Pressurized container: Do not pierce or burn, even after use.

P261 Avoid breathing mist or vapors.  
 P264 Wash hands thoroughly after handling.  
 P272 Contaminated work clothing should not be allowed out of the workplace.  
 P273 Avoid release to the environment.  
 P280 Wear eye protection and protective gloves.

**Response**

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P337+P313 If eye irritation persists: Get medical attention.  
 P302+P352 IF ON SKIN: Wash with plenty of soap and water.  
 P333+P313 If skin irritation or rash occurs: Get medical attention.  
 P363 Wash contaminated clothing before reuse.

**Storage**

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.  
 P403 Store in a well-ventilated place.

**Disposal**

P501 Dispose of contents and container in accordance with local and national regulations.

**Other Hazards that do not Result in Classification:** None

**3 - Composition/Information on Ingredients**

Ingredient	CAS #	Weight Percent	Substance Classification
Water	7732-18-5	>60%	Not Hazardous
Hydrocarbon Propellant (n-Butane, Iso-butane, Propane)	106-97-8 75-28-5 74-98-6	20-30%	Flam. Gas Cat 1 (H220) Press. Gas (H280)
Ethanol	64-17-5	<2%	Flam. Liq. Cat 2 (H225) Eye Irrit. Cat 2 (H319)
Fragrance	Mixture	<2%	Eye Irrit. Cat 2 (H319) Skin Sens. Cat 1B (H317) Aquatic Acute Cat 2 (H401)
Surfactant	Proprietary	<1%	Acute Tox. Cat 2 (H330) Eye Dam. Cat 1 (H318) Skin Irrit. Cat 2 (H315) Aquatic Acute Cat 3 (H402)
Sodium Benzoate	532-32-1	<0.5%	Eye Irrit. Cat 2 (H319)
2-Phenylphenol	90-43-7	<0.5%	Eye Dam. Cat 1 (H318) Skin Irrit. Cat 2 (H315) STOT SE Cat 3 (H335) Aquatic Acute Cat 1 (H400) Aquatic Chronic Cat 1 (H410)

See Section 16 for full text of GHS Classification and H phrases

**4 – First Aid Measures**

**Ingestion (Swallowed):** Rinse out mouth and give sips of water. Do not induce vomiting unless directed to do so by medical personnel. Call a Poisons Information Center (phone 13 11 26 from anywhere in Australia or 0800 764 766 in New Zealand).

**Eye Contact:** Flush thoroughly with water. Remove contact lenses if present after the first 5 minutes and continue flushing for several more minutes. Get medical attention if irritation persists.

**Skin Contact:** Wash with soap and water. If irritation or rash develops, get medical attention.  
**Inhalation (Breathing):** If irritation is experienced, move to fresh air. Get medical attention if irritation or other symptoms develop and persist.  
**Most Important Symptoms:** May cause moderate eye irritation. May cause skin sensitization. Excessive inhalation can cause headache, drowsiness, nausea and lack of coordination. Breathing large amounts of spray may cause irritation of respiratory tract. Ingestion of the liquid may cause mild gastrointestinal upset involving nausea, vomiting and diarrhea.  
**Indication of Immediate Medical Attention and Special Treatment, if Needed:** Immediate medical attention is not normally required.

### 5 – Fire Fighting Measures

**Suitable Extinguishing Media:** Use water fog, dry chemical, carbon dioxide or foam. Cool fire exposed containers with water.  
**Specific Hazards Arising from the Chemical:** Extremely flammable aerosol. Contents under pressure. Keep away from ignition source and open fire. Exposure of containers to extreme heat and flames can cause them to rupture often with violent force. A propellant and air mixture can create an explosion hazard in confined spaces.  
**Special Protective Equipment and Precautions for Fire-Fighters:** Firefighters should always wear positive pressure self-contained breathing apparatus and full protective clothing. Use shielding to protect against bursting containers. Cool fire-exposed containers with water.

### 6 – Accidental Release Measures

**Personal Precautions, Protective Equipment and Emergency Procedures:** Wear appropriate protective clothing (see Section 8). Eliminate all sources of ignition and ventilate area.  
**Environmental Precautions:** Avoid releases to the environment. Report spills to authorities as required.  
**Methods and Materials for Containment/Cleanup:** Leaking cans should be placed in a plastic bag or open pail until the pressure has dissipated. Contain and collect liquid with an inert absorbent and place in a container for disposal. Clean spill area thoroughly.

### 7 – Handling and Storage

**Precautions for Safe Handling:** Avoid prolonged contact with eyes and skin. Avoid breathing vapors or aerosols. Intentional misuse by deliberately concentrating vapors and inhaling can be harmful or fatal. Use only with adequate ventilation. Keep away from heat, sparks, pilot lights, hot surfaces and open flames. Unplug electrical tools, motors and appliances before spraying or bringing the can near any source of electricity. Electricity can burn a hole in the can and cause contents to burst into flames. To avoid serious burn injury, do not let the can touch battery terminals, electrical connections on motors or appliances or any other source of electricity. Wash thoroughly with soap and water after handling. Keep containers closed when not in use. Keep out of the reach of children. Do not puncture, crush or incinerate containers, even when empty.  
**Conditions for Safe Storage, including any incompatibilities:** Store in a cool, dry, ventilated area away from incompatible materials. Protect from physical damage. Do not store in direct sunlight, near open flames or above temperatures greater than 50°C.

### 8 – Exposure Controls /Personal Protection

Chemical	Occupational Exposure Limits	Biological Limit Value
Water	None Established	None Established
n-Butane	800 ppm TWA AU OEL 800 ppm TWA NZ OEL 1000 ppm STEL ACGIH TLV (as Butane, all isomers)	None Established
Iso-butane	NZ-Simple Asphyxiant-may present an explosion hazard 1000 ppm STEL ACGIH TLV	None Established

	(as Butane, all isomers)	
Propane	Asphyxiant – See Chapter 10 of Safe Work Australia Exposure Standard NZ-WESEs: Simple Asphyxiant-may present an explosion hazard	None Established
Ethanol	1000 ppm TWA AU OEL 1000 ppm TWA NZ OEL 1000 ppm STEL ACGIH TLV	None Established
Fragrance	None Established	None Established
Surfactant	None Established	None Established
Sodium Benzoate	None Established	None Established
2-Phenylphenol	None Established	None Established

**The Following Controls are Recommended for Normal Consumer Use of this Product**

**Appropriate Engineering Controls:** Good general ventilation is adequate for normal use. When using large amounts, open windows or use a fan to ventilate the area.

**Personal Protection:**

**Eye Protection:** Avoid eye contact. Always spray product away from your face.

**Skin Protection:** Avoid prolonged or repeated skin contact. Wash hands with soap and water after use.

**Respiratory Protection:** None needed for normal use with adequate ventilation.

**For Bulk Processing or Workplace Use the Following Controls are Recommended**

**Appropriate Engineering Controls:** Use adequate general and local exhaust ventilation to maintain exposure levels below that occupational exposure limits.

**Personal Protection:**

**Eye Protection:** Safety goggles recommended where eye contact is possible.

**Skin Protection:** Wear appropriate protective clothing and chemical-resistant gloves to avoid prolonged or repeated skin contact.

**Respiratory Protection:** None required if ventilation is adequate. If the occupational exposure limits are exceeded, wear an approved respirator. Respirator selection and use should be based on contaminant type, form and concentration. Follow applicable regulations and good Industrial Hygiene practice.

**Work/Hygiene Practices:** Eye wash facilities should be available. Wash hands after handling.

**Other Protective Equipment:** None required.

**9 – Physical and Chemical Properties**

Appearance and Odor:	Aerosol spray. Pleasant odor.	Partition Coefficient of n-octanol/water:	Not determined
Odor Threshold:	Not determined	Auto-ignition temperature:	Not determined
pH:	Not determined	Decomposition Temperature:	Not determined
Melting/Freezing Point:	Not applicable	Viscosity:	Not determined
Boiling Point / Range:	100°C (212°F) (Water)	Specific Heat Value:	Not determined
Flash Point:	Not determined	Particle Size:	Not applicable
Evaporation Rate (Butyl Acetate = 1):	<1 (liquid)	VOC:	Not determined
Flammability (solid, gas):	Not applicable	Percent Volatile:	Not determined
Flammable Limits:	LEL: 1.5 UEL: 9.6 (Propellant)	Saturated Vapor Concentration:	Not determined
Vapor Pressure:	Not determined	Release of invisible flammable vapors and gases:	Not determined
Vapor Density (air = 1):	>1	Aerosol Protection	1

		Level (NFPA 30B):	
Relative Density (Water = 1):	~1.0	Solubility:	Miscible in water

## 10 – Stability and Reactivity

**Reactivity:** Non-reactive

**Chemical Stability:** Stable under normal storage conditions.

**Possibility of Hazardous Reactions:** Hazardous polymerization will not occur.

**Conditions to Avoid:** Avoid extreme heat, flames and other sources of ignition. Avoid physical damage to aerosol can.

**Incompatible Materials:** Strong oxidizers.

**Hazardous Decomposition Products:** Carbon monoxide and carbon dioxide.

## 11 – Toxicological Information

### Health Hazards:

**Ingestion:** Swallowing is an unlikely route of exposure for an aerosol product. Swallowing large amounts of liquid may produce mild gastrointestinal upset involving nausea, vomiting and diarrhea.

**Eye Contact:** Liquid sprayed into eyes may cause moderate irritation. May cause redness, stinging, swelling, and tearing.

**Skin Contact:** Prolonged and/or repeated contact may produce mild irritation and defatting with possible dermatitis. May cause an allergic skin reaction.

**Inhalation:** No adverse effects expected in an otherwise healthy individual exposed to this product during normal use. Excessive inhalation can cause headache, drowsiness, nausea and lack of coordination. Breathing large amounts of spray may cause irritation of respiratory tract. Intentional abuse may be harmful or fatal.

**Chronic Exposure:** None known.

**Medical Conditions Aggravated by Exposure:** Preexisting eye, skin and respiratory conditions may be aggravated by exposure.

### Acute Toxicity Values:

Water: Not toxic

Ethanol: Oral rat LD50: 10,470 mg/kg, Inhalation rat LC50:117-125 mg/L/4hr, Skin rabbit LD50: 17,100 mg/kg

Fragrance: No toxicity data available

Surfactant: Oral rat LD50: >5000 mg/kg, Inhalation rat LC50:0.05-0.5 mg/L/4hr

Sodium Benzoate: Oral rat LD50: 3140 mg/kg, Inhalation rat LC50: >12.2 mg/L/4hr, Skin rabbit LD50: >2000 mg/kg

2-Phenylphenol: Oral rat LD50: 2733 mg/kg,

**Skin Corrosion/Irritation:** No data available for mixture. Based on the ingredients, this product is not classified as a skin irritant.

**Serious Eye Damage/Irritation:** No data available for mixture. Based on the ingredients, this product is classified as an eye irritant.

**Respiratory or Skin Sensitization:** This product is expected to cause skin sensitization.

**Germ Cell Mutagenicity:** None of the components have been found to be mutagenic.

**Carcinogenicity:** None of the components are listed as a carcinogen or suspected carcinogen by IARC, NTP, ACGIH, US OSHA or the EU CLP.

**Reproductive Toxicity:** Ethanol consumed in alcoholic beverages causes adverse effects on the unborn child. None of the other components are known to cause adverse reproductive effects

### Specific Target Organ Toxicity:

**Single Exposure:** No data available.

**Repeated Exposure:** No data available.

**Aspiration Hazard:** Based on the ingredients, this product is not expected to present an aspiration hazard.

## 12 – Ecological Information

### **Ecotoxicity:**

Ethanol: 96 hr LC50 Pimephales promelas: 14,200 mg/L, 48 hr EC50 Ceriodaphnia dubai: 5012 mg/L

Surfactant: 96hr LC50 Zebra fish: 32.1 mg/L, 48 hr EC50 Daphnia magna: 8.91 mg/L

2-Phenylphenol: 96 hr LC50 Zebra fish: 4.5 mg/L, 48 hr LC50 Daphnia magna: 2.7 mg/L, 21 days NOEC Pimephales promelas: 0.036 mg/L, 21 days NOEC Daphnia magna: 0.009 mg/L

This product has been classified as harmful to the aquatic environment based on the components. Releases to the environment should be avoided.

**Persistence and Degradability:** Ethanol is readily biodegradable.

**Bioaccumulative Potential:** Ethanol is not bio accumulative.

**Mobility in Soil:** No data available.

**Other Adverse Effects:** None Known

## 13 - Disposal Considerations

**Safe Handling and Disposal Method:** Aerosol containers should not be punctured, compacted in home trash compactors or incinerated.

**Disposal of Contaminated Packaging:** Empty containers may be disposed of through normal waste management options.

**Environmental Regulations:** Dispose of all waste product, absorbents, and other materials in accordance with applicable Federal, state and local regulations.

## 14 – Transportation Information

**IMDG Shipping Name:** Aerosols

**IMDG Hazard Class:** 2.1

**UN Number:** UN1950

**Marine Pollutant:** No

**IATA Shipping Name:** Aerosols, Flammable

**IATA Hazard Class:** 2.1

**UN Number:** UN1950

**ADG Shipping Name:** Aerosols

**ADG Hazard Class:** 2.1

**UN Number:** UN1950

**Hazchem (Emergency Action) Code:** 2YE (ADG7)

**Special Precautions for User:** WD-40 Company does not test aerosol cans to assure that they meet the pressure and other requirements for transport by air. We do not recommend that our aerosol products be transported by air.

## 15 – Regulatory Information

**Montreal Protocol (Ozone Depleting Substances):** None present

**The Stockholm Convention (Persistent Organic Pollutants):** None present

**The Rotterdam Convention (Prior Informed Consent):** Not applicable

**Basel Convention:** Not applicable

**International Convention for the Prevention of Pollution from Ships (MARPOL):** None present

**Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP):** Not applicable

**Australian Inventory of Chemical Substances:** All of the components of this product are listed on the AICS inventory.

**New Zealand:****HSNO Approval Number:** HSR002515

*Considered a Hazardous Substance according to the criteria of the New Zealand Hazardous Substances New Organisms legislation. Classified as Dangerous Good for transport purposes.*

HSNO Hazard Classes: 2.1.2A, 6.4A, 6.5B, 9.1D

**New Zealand Inventory:** All the ingredients comply with the HSNO regulations.**16 – Other Information**REVISION DATE: 31 May 2019SUPERSEDES: 22 September 2015

Prepared By: Industrial Health &amp; Safety Consultants, Inc.

Full Text of GHS Classification and H Phrases from Section 3:

Acute Tox. Cat 2 Acute Toxicity Category 2

Aquatic Acute Cat 1 Aquatic Acute Toxicity Category 1

Aquatic Acute Cat 2 Aquatic Acute Toxicity Category 2

Aquatic Acute Cat 3 Aquatic Acute Toxicity Category 3

Aquatic Chronic Cat 1 Aquatic Chronic Toxicity Category 1

Eye Dam. Cat 1 Eye Damage Category 1

Eye Irrit. Cat 2 Eye Irritant Category 2

Flam. Gas Cat 1 Flammable Gas Category 1

Flam. Liq. Cat 2 Flammable Liquid Category 2

Press. Gas Compressed Gas

Skin Irrit. Cat 2 Skin Irritant Category 2

Skin Sens. Cat 1 Skin Sensitizer Category 1

STOT SE Cat 3 Specific Target Organ Toxicity Single Exposure Category 3

H220 Extremely flammable gas.

H225 Highly flammable liquid and vapor.

H280 Contains gas under pressure; may explode if heated.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H330 Fatal if inhaled.

H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

H401 Toxic to aquatic life.

H402 Harmful to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

List of Abbreviations or Acronyms:

ACGIH American Conference of Industrial Hygienists

ADG Australian Dangerous Goods

AICS Australian Inventory of Chemical Substances

AU Australia

EC Effective Concentration

EU European Union

GHS Globally Harmonized System of Classification and Labelling of Chemicals

HSNO Hazardous Substances and New Organisms

IARC International Agency of Research on Cancer

IATA International Air Transport Association

IMDG International Maritime Dangerous Goods

LC Lethal Concentration

LD Lethal Dosage  
LEL Lower Explosive Limit  
NTP National Toxicology Program  
NZ New Zealand  
OEL Occupational Exposure Limits  
PEL Permissible Exposure Limit  
SDS Safety Data Sheet  
STEL Short Term Exposure Limit  
TWA Time-Weighted Average  
UEL Upper Explosive Limit  
US OSHA United States Occupational Safety and Health Administration  
VOC Volatile Organic Compounds  
WHS Work Health and Safety

REVIEWED BY: I. Kowalski TITLE: Manager Regulatory Affairs

This SDS complies with Australian guidelines for SDS. The foregoing information has been compiled from sources believed to be accurate but is not warranted to be. Recipients are advised to confirm in advance of need that data is correct. Standards change without notice. It is the responsibility of the recipient to insure that their personnel have been notified of any changes which may affect them. The data provided on this SDS are not meant to be used as specifications, only as guideline information as to the safe use of this product. User should refer to applicable laws before use.

3057100, 3085200, 3067100, 3030300, 3087100, 2010300, 1020300, 1038100/No.0116802