

Safety Data Sheet

JIF PROFESSIONAL CREAM CLEANER LEMON FRESH

Revision: 2020-08-05 **Version:** 01.0

SECTION 1: Identification of the substance/mixture and supplier

1.1 Product identifier

Product name: JIF PROFESSIONAL CREAM CLEANER LEMON FRESH

Jif is a registered trade mark and is used under licence of Unilever

1.2 Recommended use and restrictions on use

Identified uses:

Bathroom and kitchen cleaner

Restrictions of use:

Uses other than those identified are not recommended

1.3 Details of the supplier

DIVERSEY NEW ZEALAND LTD.

24 Bancroft Crescent, Glendene, Auckland, 0602, New Zealand

Telephone: 0800 803 615 (toll free)

Website: www.diversey.com

1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible)

Call 0800 243 622 (24 hrs)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

HSNO Classification

6.3B - Mildly irritating to the skin

8.3A - Corrosive to ocular tissue

9.1D - Slightly harmful to the aquatic environment or are otherwise designed for biocidal action

9.3C - Harmful to terrestrial vertebrates

GHS Equivalent Classification

Serious eye damage, Category 1 Skin irritation, Category 3 Acute aquatic toxicity, Category 2 Terrestrial vertebrates, Category 3

2.2 Label elements



Signal word: Danger

Hazard statements:

H316 - Causes mild skin irritation.

H318 - Causes serious eye damage.

H401 - Toxic to aquatic life.

H433 - Harmful to terrestrial vertebrates.

Prevention statement(s):

P233 - Keep container tightly closed.

P280 - Wear eye or face protection.

Response statement(s):

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P310 - Immediately call a POISON CENTRE, doctor or physician.

Disposal statement(s):

P501 - Dispose of unused content as chemical waste.

2.3 Other hazards

No other hazards known.

SECTION 3: Composition/information on ingredients

3.1 Substances / Mixtures

Ingredient(s)	CAS number	EC number	Weight
			percent
Limestone	1317-65-3	215-279-6	30-60
Alcohols, C10-16, ethoxylated	68002-97-1	500-182-6	3-10
sodium carbonate	497-19-8	207-838-8	1-3
2-(2-butoxyethoxy)ethanol	112-34-5	203-961-6	1-3
sodium dodecylbenzenesulphonate	25155-30-0	246-680-4	1-3
Sodium oleate	143-19-1	205-591-0	1-3

Non-hazardous ingredients are the remainder and add up to 100%.

Workplace exposure limit(s), if available, are listed in subsection 8.1.

SECTION 4: First aid measures

4.1 Description of first aid measures

Inhalation: Remove person to fresh air and keep comfortable for breathing.

Skin contact: Wash skin with plenty of lukewarm, gently flowing water. If skin irritation occurs: Get medical advice

or attention.

Eye contact: Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE,

doctor or physician.

Ingestion: Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious

person. Get medical attention or advice if you feel unwell.

Self-protection of first aider: Consider personal protective equipment as indicated in subsection 8.2. First aid facilities: Eyewash facilities should be considered in a workplace where necessary.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation:No known effects or symptoms in normal use.Skin contact:No known effects or symptoms in normal use.Eye contact:Causes severe or permanent damage.Ingestion:No known effects or symptoms in normal use.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

Poison Information Center: Call 0800 764 766 (0800 POISON)

SECTION 5: Firefighting measures

5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

5.4 Hazchem code

None allocated

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear eye/face protection.

6.2 Environmental precautions

Do not allow to enter drainage system, surface or ground water. Do not allow to enter the ground/soil. Dilute with plenty of water. Inform responsible authorities in case undiluted product reaches drainage system, surface or ground water or the ground/soil.

6.3 Methods and material for containment and cleaning up

Dyke to collect large liquid spills. Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust). Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire and explosions:

No special precautions required.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless adviced by Diversey. Wash hands before breaks and at the end of workday. Avoid contact with eyes. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging. For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits

Air limit values, if available:

Ingredient(s)	Long term value(s)	Short term value(s)	Ceiling value(s)
Limestone	10 mg/m ³		

Biological limit values, if available:

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

Appropriate engineering controls: No special requirements under normal use conditions.

Appropriate organisational controls: Avoid direct contact and/or splashes where possible. Train personnel.

Personal protective equipment

Eye / face protection: Safety glasses or goggles (EN 166).

Hand protection:No special requirements under normal use conditions.Body protection:No special requirements under normal use conditions.Respiratory protection:No special requirements under normal use conditions.

Environmental exposure controls: No special requirements under normal use conditions.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Method / remark

Physical State: Liquid
Appearance: Viscous liquid
Colour: Opaque, Light Yellow
Odour: Product specific
Odour threshold: Not applicable

pH ≈ 11.1 (neat) ISO 4316

Melting point/freezing point (°C): Not determined

Initial boiling point and boiling range (°C): Not determined

Not relevant to classification of this product

Flammability (liquid): Not flammable. Flash point (°C): > 100 °C

Sustained combustion: Not applicable. (UN Manual of Tests and Criteria, section 32, L.2) closed cup

Evaporation rate: Not determined

Flammability (solid, gas): Not applicable to liquids Upper/lower flammability limit (%): Not determined

Vapour pressure: Not determined Vapour density: Not determined Relative density: ≈ 1.4 (20 °C)

Solubility in / Miscibility with Water: Fully miscible

Partition coefficient: n-octanol/water No information available.

Not relevant to classification of this product

Not relevant to classification of this product

OECD 109 (EU A.3)

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Autoignition temperature: Not determined **Decomposition temperature:** Not applicable.

Viscosity: ≈ 4000 mPa.s (20 °C) Explosive properties: Not explosive. Oxidising properties: Not oxidising

9.2 Other information

Surface tension (N/m): Not determined Corrosion to metals: Not corrosive

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

Reacts with acids.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixture data:.

Relevant calculated ATE(s):

ATE - Oral (mg/kg): >5000 ATE - Inhalatory, mists (mg/l): >20

Substance data, where relevant and available, are listed below:.

Acute toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
Limestone	LD 50	> 5000	Rat	Method not given	

Alcohols, C10-16, ethoxylated		No data available			
sodium carbonate	LD 50	2800	Rat	Method not given	
2-(2-butoxyethoxy)ethanol	LD 50	2410	Rat	Method not given	
sodium dodecylbenzenesulphonate	LD 50	650	Rat	Non guideline test Weight of evidence	
Sodium oleate		No data available			

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
Limestone		No data available			
Alcohols, C10-16, ethoxylated		No data available			
sodium carbonate	LD 50	> 2000	Rabbit	Method not given	
2-(2-butoxyethoxy)ethanol	LD 50	2764	Rabbit	Method not given	
sodium dodecylbenzenesulphonate	LD 50	> 2000	Rat		
Sodium oleate		No data available			

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
Limestone		No data available			
Alcohols, C10-16, ethoxylated		No data available			
sodium carbonate	LC 50	> 2.3 (dust)		Weight of evidence	2
2-(2-butoxyethoxy)ethanol		No data available			
sodium dodecylbenzenesulphonate		No data available			
Sodium oleate		No data available			

Irritation and corrosivity Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
Limestone	No data available			
Alcohols, C10-16, ethoxylated	No data available			
sodium carbonate	Not irritant	Rabbit	OECD 404 (EU B.4)	
2-(2-butoxyethoxy)ethanol	Not irritant	Rabbit	Method not given	
sodium dodecylbenzenesulphonate	Irritant			
Sodium oleate	No data available			

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
Limestone	No data available			
Alcohols, C10-16, ethoxylated	No data available			
sodium carbonate	Irritant	Rabbit	Method not given	
2-(2-butoxyethoxy)ethanol	Irritant	Rabbit	Method not given	
sodium dodecylbenzenesulphonate	Corrosive			
Sodium oleate	No data available			

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
Limestone	No data available			
Alcohols, C10-16, ethoxylated	No data available			
sodium carbonate	No data available			
2-(2-butoxyethoxy)ethanol	No data available			
sodium dodecylbenzenesulphonate	No data available			
Sodium oleate	No data available			

Sensitisation Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
Limestone	No data available			
Alcohols, C10-16, ethoxylated	No data available			

sodium carbonate	Not sensitising		Method not given	
2-(2-butoxyethoxy)ethanol	Not sensitising	Guinea pig	Method not given	
sodium dodecylbenzenesulphonate	Not sensitising	Guinea pig		
Sodium oleate	No data available			

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
Limestone	No data available			
Alcohols, C10-16, ethoxylated	No data available			
sodium carbonate	No data available			
2-(2-butoxyethoxy)ethanol	No data available			
sodium dodecylbenzenesulphonate	No data available			
Sodium oleate	No data available			

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction) Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
Limestone	No data available		No data available	
Alcohols, C10-16, ethoxylated	No data available		No data available	
sodium carbonate	No data available		No data available	
2-(2-butoxyethoxy)ethanol	No evidence of genotoxicity, negative test results	Method not given	No evidence of genotoxicity, negative test results	Method not given
sodium dodecylbenzenesulphonate	No data available		No data available	
Sodium oleate	No data available		No data available	

Carcinogenicity

Ingredient(s)	Effect
Limestone	No data available
Alcohols, C10-16, ethoxylated	No data available
sodium carbonate	No evidence for carcinogenicity, weight-of-evidence
2-(2-butoxyethoxy)ethanol	No data available
sodium dodecylbenzenesulphonate	No data available
Sodium oleate	No data available

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
Limestone			No data available				
Alcohols, C10-16, ethoxylated			No data available				
sodium carbonate			No data available				
2-(2-butoxyethoxy)etha nol			No data available				No evidence for developmental toxicity No evidence for reproductive toxicity
sodium dodecylbenzenesulpho nate			No data available				
Sodium oleate			No data available				

Repeated dose toxicity
Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
Limestone		No data				
		available				
Alcohols, C10-16, ethoxylated		No data				
		available				
sodium carbonate		No data				
		available				
2-(2-butoxyethoxy)ethanol		No data				
		available				
sodium dodecylbenzenesulphonate		No data				
		available				
Sodium oleate		No data				
		available				

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Specific effects and organs	

	(mg/kg bw/d)	time (days)	affected
Limestone	No data		
	available		
Alcohols, C10-16, ethoxylated	No data		
	available		
sodium carbonate	No data		
	available		
2-(2-butoxyethoxy)ethanol	No data		
	available		
sodium dodecylbenzenesulphonate	No data		
	available		
Sodium oleate	No data		
	available		

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
Limestone		No data available				
Alcohols, C10-16, ethoxylated		No data available				
sodium carbonate		No data available				
2-(2-butoxyethoxy)ethanol		No data available				
sodium dodecylbenzenesulphonate		No data available				
Sodium oleate		No data available				

Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
Limestone			No data available					
Alcohols, C10-16, ethoxylated			No data available					
sodium carbonate			No data available					
2-(2-butoxyethoxy)etha nol			No data available					
sodium dodecylbenzenesulpho nate			No data available					
Sodium oleate			No data available					

STOT-single exposure

Ingredient(s)	Affected organ(s)
Limestone	No data available
Alcohols, C10-16, ethoxylated	No data available
sodium carbonate	No data available
2-(2-butoxyethoxy)ethanol	No data available
sodium dodecylbenzenesulphonate	No data available
Sodium oleate	No data available

STOT-repeated exposure

CTCT Topodica expectate	
Ingredient(s)	Affected organ(s)
Limestone	No data available
Alcohols, C10-16, ethoxylated	No data available
sodium carbonate	No data available
2-(2-butoxyethoxy)ethanol	No data available
sodium dodecylbenzenesulphonate	No data available
Sodium oleate	No data available

Aspiration hazard Substances with an aspiration hazard (H304), if any, are listed in section 3.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity Aquatic short-term toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
Limestone	LC 50	> 10000	Oncorhynchus mykiss	Method not given	96
Alcohols, C10-16, ethoxylated		No data available			
sodium carbonate	LC 50	300	Lepomis macrochirus	Method not given	96
2-(2-butoxyethoxy)ethanol	LC 50	> 100	Fish	Method not given	-
sodium dodecylbenzenesulphonate		No data available			
Sodium oleate		No data available			

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
Limestone	EC 50	> 1000	Daphnia magna Straus	Method not given	48
Alcohols, C10-16, ethoxylated		No data available			
sodium carbonate	EC 50	265	Daphnia magna Straus	Method not given	96
2-(2-butoxyethoxy)ethanol	EC 50	> 100	Daphnia magna Straus	DIN 38412, Part 11	48
sodium dodecylbenzenesulphonate		No data available			
Sodium oleate		No data available			

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
Limestone	EC 50	> 200	Desmodesmus subspicatus	Method not given	72
Alcohols, C10-16, ethoxylated		No data available			
sodium carbonate		No data available			-
2-(2-butoxyethoxy)ethanol	EC 50	> 100	Desmodesmus subspicatus	Method not given	-
sodium dodecylbenzenesulphonate		No data available		Weight of evidence	
Sodium oleate		No data available			

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
Limestone		No data available			
Alcohols, C10-16, ethoxylated		No data available			
sodium carbonate		No data available			-
2-(2-butoxyethoxy)ethanol		No data available			-
sodium dodecylbenzenesulphonate		No data available			
Sodium oleate		No data available			

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
Limestone		No data available			
Alcohols, C10-16, ethoxylated		No data available			
sodium carbonate		No data available			

2-(2-butoxyethoxy)ethanol	EC 10	1170	Pseudomonas putida	Method not given	16 hour(s)
sodium dodecylbenzenesulphonate		No data available			
Sodium oleate		No data available			

Aquatic long-term toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
Limestone		No data available				
Alcohols, C10-16, ethoxylated		No data available				
sodium carbonate		No data available				
2-(2-butoxyethoxy)ethanol		No data available				
sodium dodecylbenzenesulphonate		No data				

No data available

Aquatic long-term toxicity - crustacea

Sodium oleate

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
Limestone		No data available				
Alcohols, C10-16, ethoxylated		No data available				
sodium carbonate		No data available				
2-(2-butoxyethoxy)ethanol		No data available				
sodium dodecylbenzenesulphonate		No data available				
Sodium oleate		No data available				

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
Limestone		No data available				
Alcohols, C10-16, ethoxylated		No data available				
sodium carbonate		No data available			-	
2-(2-butoxyethoxy)ethanol		No data available			-	
sodium dodecylbenzenesulphonate		No data available				
Sodium oleate		No data available				

Terrestrial toxicityTerrestrial toxicity - soil invertebrates, including earthworms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium carbonate		No data			-	
		available				
2-(2-butoxyethoxy)ethanol		No data			-	
		available				ļ

Terrestrial toxicity - plants, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium carbonate		No data			-	
		available				
2-(2-butoxyethoxy)ethanol		No data available			-	

Terrestrial toxicity - birds, if available:

	Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Effects observed
--	---------------	----------	-------	---------	--------	----------	------------------

			time (days)	
sodium carbonate	No data		-	
	available			
2-(2-butoxyethoxy)ethanol	No data		-	
	available			

Terrestrial toxicity - beneficial insects, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium carbonate		No data			-	
		available				
2-(2-butoxyethoxy)ethanol		No data			-	
		available				

Terrestrial toxicity - soil bacteria, if available:

constitution son suctional, in availables						
Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium carbonate		No data available			-	
2-(2-butoxyethoxy)ethanol		No data available			-	

12.2 Persistence and degradability Abiotic degradation

Abiotic degradation - photodegradation in air, if available:

Abiotic degradation - hydrolysis, if available:

Ingredient(s) Half-life time ir water		Method	Evaluation	Remark
sodium carbonate	sodium carbonate No data available		Rapidly hydrolysible	

Abiotic degradation - other processes, if available:

BiodegradationReady biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT 50	Method	Evaluation
Limestone					Not applicable (inorganic substance)
Alcohols, C10-16, ethoxylated				OECD 301B	Readily biodegradable
sodium carbonate					Not applicable (inorganic substance)
2-(2-butoxyethoxy)ethanol			76 % in 28 day(s)	OECD 301D	Readily biodegradable
sodium dodecylbenzenesulphonate				OECD 301E	Readily biodegradable
Sodium oleate				Weight of evidence	Readily biodegradable

Ready biodegradability - anaerobic and marine conditions, if available:

Degradation in relevant environmental compartments, if available:

12.3 Bioaccumulative potentialPartition coefficient n-octanol/water (log Kow)

Ingredient(s)	Value	Method	Evaluation	Remark
Limestone	No data available			
Alcohols, C10-16, ethoxylated	No data available			
sodium carbonate	No data available		No bioaccumulation expected	
2-(2-butoxyethoxy)ethanol	0.56	Method not given	No bioaccumulation expected	
sodium dodecylbenzenesulphonate	No data available			
Sodium oleate	No data available			

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
Limestone	No data available				
Alcohols, C10-16, ethoxylated	No data available				
sodium carbonate	No data available			No bioaccumulation expected	
2-(2-butoxyethoxy)etha	No data available				

nol			
sodium dodecylbenzenesulpho nate	No data available		
Sodium oleate	No data available		

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
Limestone	No data available				
Alcohols, C10-16, ethoxylated	No data available				
sodium carbonate	No data available				Potential for mobility in soil, soluble in water
2-(2-butoxyethoxy)ethanol	No data available				Potential for mobility in soil, soluble in water
sodium dodecylbenzenesulphonate	No data available				
Sodium oleate	No data available				

12.5 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste from residues / unused products:

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging

material is suitable for energy recovery or recycling in line with local legislation.

Empty packaging

Recommendation: Dispose of observing national or local regulations.

Suitable cleaning agents: Water, if necessary with cleaning agent.

SECTION 14: Transport information

ADG, IMO/IMDG, ICAO/IATA

14.1 UN number: Non-dangerous goods

14.2 UN proper shipping name: Non-dangerous goods **14.3 Transport hazard class(es):** Non-dangerous goods

14.4 Packing group: Non-dangerous goods

14.5 Environmental hazards: Non-dangerous goods

Environmentally hazardous: No

Marine pollutant: No

14.6 Special precautions for user: Non-dangerous goods

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: The product is not transported in bulk tankers.

Non-dangerous goods

Other relevant information: Hazchem code: None allocated

This product has been classified, labelled and package in accordance with the requirements of the NZ Land Transport Rule: Dangerous Goods, ADG, and the provisions of the IMDG Code.

Transport regulations include special provisions for certain classes of dangerous goods packed in limited quantities.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

HSNO Approval Number HSR002530.

Group standard Cleaning Products (Subsidiary Hazard) Group Standard 2017
Inventory Listing(s) New Zealand: NZIoC (New Zealand Inventory of Chemicals)
All components are listed on the NZIoC inventory, or are exempt

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MS32000643 Version: 01.0 **Revision:** 2020-08-05

Exposure standards - Time Weighted Average (TWA) or Workplace Exposure Standard (WES) (NZ): Exposure standards are established on the premise of an 8 hour work period of normal intensity, under normal climatic conditions and where a 16 hour break between shifts exists to enable the body to eliminate absorbed contaminants. In the following circumstances, exposure standards must be reduced: strenuous work conditions; hot, humid climates; high altitude conditions; extended shifts (which increase the exposure period and shorten the period of recuperation).

Abbreviations and acronyms: • DNEL - Derived No Effect Limit • AUH - Non GHS hazard statement

- PNEC Predicted No Effect Concentration
- ATE Acute Toxicity Estimate
- LD50 Lethal Dose, 50% / Median Lethal dose
- LC50 Lethal Concentration, 50% / Median Lethal Concentration

- EC50 effective concentration, 50%
 NOEL No observed effect level
 NOAEL No observed adverse effect level
- STOT-RE Specific target organ toxicity (repeated exposure)
 STOT-SE Specific target organ toxicity (single exposure)
- EC No. European Community Number
- OECD Organization for Economic Cooperation and Development

End of Safety Data Sheet