

CARE4 Window Cleaner

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: CARE4 Window Cleaner

OTHER NAMES: CARE4 Window Cleaner

RECOMMENDED USE: Window Cleaner

SUPPLIER NAME: 2CARE PRODUCTS ADDRESS: 9 Donnor Place

Mt Wellington AUCKLAND

Phone: 0800 753 753 Fax: (09) 574 5999

Emergency Telephone: 0800 764 766 NEW ZEALAND NATIONAL POISON CENTRE

2. HAZARD(S) IDENTIFICATION

GLOBALLY HARMONISED SYSTEM

HAZARD CLASSIFICATION NON-HAZARDOUS according to the criteria of the Globally Harmonised System of Classification and

Labelling of Chemicals (GHS).

HAZARD CATEGORIES Skin Corrosion/Irritation Category 2

Serious Eye Damage/Irritation Category 2A

PICTOGRAMS



SIGNAL WORD WARNING

HAZARD STATEMENTS H315 – Cause skin irritation.

H319 – Causes serious eye irritation.

PRECAUTIONARY STATEMENTS

Issue Date: 6th September 2017

PREVENTION P103 – Read label before use.

P104 – Read Safety Data Sheet before use. P264 – Wash hands thoroughly after handling.

P280 – Wear protective gloves, clothing and eye/face protection.

RESPONSE P321 – **WASH** affected areas well with water.

P362 – Take of contaminated clothing and wash before reuse. P302 + P352 – **IF ON SKIN:** Wash with plenty of soap and water.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously for several minutes. REMOVE contact lenses if

present and safe to do so. Continue rinsing.

P332 + P313 – **IF SKIN IRRITATION** occurs: Get medical advice/attention. P337 + P313 – **IF EYE IRRITATION** persists: Get medical advice/attention.

STORAGE

DISPOSAL P501 – Do not let this product enter the environment. Do not dispose of in waterways or sewers.

Dispose of this material and its container as hazardous waste, via a licensed facility. See local council

for disposal/recycling information.

ENVIRONMENTAL PROTECTION AUTHORITY (NEW ZEALAND)

HSNO CLASSIFICATIONS Toxicity Hazards

6.3A Substances that are irritating to the skin.
6.4A Substances that are irritating to the eye.

The information contained in this SDS is specific to the product when handled and used neat. This product when diluted may not require the same control measures as the neat product. Check with your technical representative if in doubt.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients

Chemical Entity	Formula	CAS Number	Proportion
2-Butoxy Ethanol	C ₆ H ₁₄ O ₂	111-76-2	< 10%
Ammonium Hydroxide	NH ₄ OH	1336-21-6	< 1%
Non-Hazardous ingredients			< 1%
Water	H ₂ O	7732-18-5	Balance

4. FIRST AID MEASURES

INGESTION DO NOT induce vomiting. Give water to drink immediately to dilute. Contact Poisons Centre.

EYE CONTACT IMMEDIATELY flush eyes with copious amounts of water for at least 15 minutes while holding

eyelids open. Take care not to rinse contaminated water into the non-affected eye.

SKIN CONTACT REMOVE contaminated clothing. FLUSH the contaminated skin thoroughly with water for at least 5

minutes.

INHALATION REMOVE victim from source of exposure to fresh air. Keep at rest until fully recovered.

SAFETY MEASURES Potable water should be available to rinse eyes or skin. Provide eye baths and safety showers. Treat

symptomatically.

PHYSICIAN NOTES Treat symptomatically based on judgement of doctor and individual reactions of patient.

5. FIRE FIGHTING METHODS

GENERAL MEASURES Clear fire area of all non-emergency personnel. Stay upwind. Keep out of low areas. Eliminate

ignition sources. Move fire exposed containers from fire area if it can be done without risk.

FLAMMABILITY CONDITIONS

Product is not combustible.

EXTINGUISHING MEDIA

Use extinguishing media appropriate for surrounding fire.

HAZARDOUS PRODUCTS OF

COMBUSTION

The product is non-combustible; however, the packaging material may burn to emit noxious fumes.

SPECIAL FIRE FIGHTING

INSTRUCTIONS

DO NOT allow firefighting water to reach waterways, drains or sewers.

PERSONAL PROTECTIVE

EQUIPMENT

Wear positive pressure self-contained breathing apparatus (SCBA) and protective firefighting

clothing (including Helmet, Coat, Trousers, Boots and Gloves) or chemical splash suit.

HAZCHEM CODE No information available.

6. SPILLAGE/ACCIDENTAL RELEASE MEASURES

GENERAL RESPONSE

PROCEDURE

Clear area of all unprotected personnel. Allow only trained personnel wearing appropriate protective equipment to be involved in spill response. Contain spill, avoid accidents, clean up

immediately. Increase ventilation.

CLEAN UP PROCEDURES

Mechanically collect as much of the spill as possible. Absorb with sand, earth or clay. Transfer to suitable, labelled containers and dispose of promptly as hazardous waste. Spill on areas other than pavement (e.g. dirt and sand) may be handled by removing the affected soils and placing in

approved containers.

CONTAINMENT

Stop leak if safe to do so. Contain spill immediately.

DECONTAMINATION

Wash down spill area with water.

ENVIRONMENTAL PRECAUTIONARY MEASURES Prevent run off into drains and waterways. If contamination of sewers or waterways has occurred

advise the Environmental Protection Authority and/or your local Waste Authority.

EVACUATION CRITERIA

Evacuate all non-essential personnel.

PERSONAL PRECAUTIONARY MEASURES Personnel involved in the clean-up should wear full protective clothing as listed in section 8.

7. HANDLING AND STORAGE

HANDLING Ensure an eye bath is available and ready for use. Observe good personal hygiene practices and

recommended procedures. Avoid contact with eyes and skin. Do not smoke, eat or drink when

handling product.

Always remove contaminated clothing and wash hands before eating, drinking, smoking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use.

STORAGE Store upright in the original container in a cool, dry, well-ventilated protected area out of direct

sunlight and away from incompatible materials and foodstuffs. Keep containers tightly closed when not in use. Inspect regularly for deficiencies such as damage or leaks. Do not combine part

containers of the same product. Emergency showers and eye-washes must be available.

CONTAINER Store in original packaging as approved by manufacturer.

Issue Date: 6th September 2017 Printed: 9 January 2018
30080 - CARE4 WINDOW CLEANER - 060917

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

GENERAL Ammonium Hydroxide [CAS 1336-21-6].

2-Butoxy Ethanol [CAS 111-76-2]

EXPOSURE LIMITS Ammonium Hydroxide – TWA 25ppm from NZ Workplace Exposure Standards.

2-Butoxy Ethanol – TWA-Ceil 25ppm from NZ Workplace Exposure Standards.

BIOLOGICAL LIMITS No information available.

ENGINEERING MEASURES Adequate ventilation should be provided so that exposure limits are not exceeded.

PERSONAL PROTECTIVE

EQUIPMENT

RESPIRATOR Not deemed to present any risk.

EYES Use splash proof safety goggles that conform to AS1336/1337.

HANDS Any Gloves approved for chemical hazards that conform to AS2161.

CLOTHING Trousers, Long sleeved shirt and closed shoes.

9. PHYSICAL AND CHEMICAL PROPERTIES:

PHYSICAL STATE Liquid

APPEARANCE Clear

COLOUR Blue

ODOUR Ether-like

pH 7.5 – 8.5

DENSITY

No Data Available

VAPOUR PRESSURE

No Data Available

VAPOUR DENSITY

No Data Available

BOILING POINT

No Data Available

FREEZING POINT

No Data Available

SOLUBILITY

Complete in water

SHELF LIFE 2 years from manufacturing date (when stored as directed)

10. STABILITY AND REACTIVITY

GENERAL INFORMATION Stable under normal conditions of use.

CHEMICAL STABILITY The substance is stable under normal environmental and foreseeable conditions of temperature and

pressure during storage and handling.

CONDITIONS TO AVOID Avoid contact with foodstuffs. Do not combine part drums of the same product

MATERIALS TO AVOID No information available.

HAZARDOUS DECOMPOSITION PRODUCTS

Issue Date: 6th September 2017

The packaging material may burn to emit noxious fumes. Combustion will generate carbon oxides.

11. TOXICOLOGICAL INFORMATION

ORAL Ammonium Hydroxide LD₅₀ – >350mg/kg (Rat). CCID

2-Butoxy Ethanol LD₅₀ - 1414mg/kg (Guinea Pig) OECD Guideline 401

Harmful if swallowed. Symptoms may include: Stomach complaints, burning feeling, nausea,

vomiting

DERMAL 2-Butoxy Ethanol LD₅₀ - >2000mg/kg (Guinea Pig).OECD Guideline 402

Harmful in contact with skin. Product is absorbed through the skin. Symptoms include: Redness.

INHALATION Ammonium Hydroxide LC₅₀ – 4.6mg/L (Mouse) RTECS

2-Butoxy Ethanol – LC₅₀ – 3.1mg/L (Guinea Pig) OECD Guideline 403

High concentrations — Inhalation can cause pneumonia and/or pulmonary oedema, but only after signs of corrosive effects on the mucous membranes of the eyes and/or the upper respiratory tract. Symptoms include: Irritation, Sore throat, Cough, Dizziness, Drowsiness, Difficulty in breathing,

Sleepiness, Unconsciousness.

EYE This material can cause serious irritation to ocular tissue.

CARCINOGENICITY No information available.

MUTAGENICITY No information available.

REPRODUCTIVE No information available.

TARGET ORGAN No adverse effects were observed after repeated exposure in animal studies.

LONG TERM No information available.

12. ECOLOGICAL INFORMATION

ECOTOXICITY 2-Butoxy Ethanol: LC50 (Fish, 96 h): 1474 mg/L (Oncorhynchus mykiss) (OECD Guideline 203)

2-Butoxy Ethanol: EC₅₀ (Algae, 72 h): 911 mg/L (Pseudokirchneriella subcapitata) (OECD Guideline

201)

2-Butoxy Ethanol: EC₅₀ (Daphnia magna, 48 h): 1550 mg/L (OECD Guideline 202)

2-Butoxy Ethanol: NOEC (Algae, 72 h): >280 mg/L (Pseudokirchneriella subcapitata) (OECD Guideline

201)

2-Butoxy Ethanol: NOEC (Daphnia magna, 21 d): >100 mg/L (OECD Guideline 211)

Avoid contaminating waterways.

PERSISTENCE /
DEGRADABILITY

Readily Biodegradable.

MOBILITY High water solubility and mobility.

ENVIRONMENTAL FATE Do not allow drainage into sewer, streams or storm water systems.

BIOACCUMULATION

POTENTIAL

No information available.

ENVIRONMENTAL IMPACT No information available.

13. DISPOSAL CONSIDERATIONS

GENERAL INFORMATION Dispose of in accordance with all local, regional and national regulations. All empty packaging should

be disposed of in accordance with local, regional, and national regulations or recycled/reconditioned

at an approved facility.

SPECIAL PRECAUTIONS

FOR LANDFILL

Containers should be rinsed and disposed of in line with any requirements of the Resource

Management Act for which approval should be sought from the Regional Authority.

14. TRANSPORT INFORMATION

LAND TRANSPORT NEW ZEALAND (NZS5433) Not classified as a Dangerous Good by NZS5433:2012 for transport by Road and Rail

PROPER SHIPPING NAME NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS.

UN NUMBER No Data Available
CLASS No Data Available
SUBSIDIARY RISK No Data Available
PACKAGING GROUP No Data Available
HAZCHEM No Data Available
SPECIAL PROVISIONS No Data Available

SEA TRANSPORT (IMDG)

Not classified as a Dangerous Good by the International Maritime Dangerous Good Code (IMDG) for transport by sea

PROPER SHIPPING NAME NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS.

UN NUMBER No Data Available **CLASS** No Data Available SUBSIDIARY RISK No Data Available PACKAGING GROUP No Data Available **HAZCHEM** No Data Available **EMS** No Data Available MARINE POLLUTANT No Data Available **SPECIAL PROVISIONS** No Data Available

AIR TRANSPORT (IATA)

Not classified as a Dangerous Good by the international Air Transport Association (IATA) for transport by air

PROPER SHIPPING NAME NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS.

UN NUMBER
CLASS
No Data Available
SUBSIDIARY RISK
PACKAGING GROUP
HAZCHEM
PG
No Data Available

15. REGULATORY INFORMATION

ENVIRONMENTAL PROTECTION AUTHORITY (NEW ZEALAND)

Hazardous Substances & New Organisms Act 1996

APPROVAL CODE HSR002530 – Cleaning Products (Subsidiary Hazard) Group Standard 2006

HSNO CLASSIFICATIONS 6.3A, 6.4A
APPROVED HANDLER Not Required
NZIOC Listed

Issue Date: 6th September 2017 Printed: 9 January 2018 Page 6 of 7

OTHER INFORMATION

REVISION NUMBER 1 – New Issue
ISSUE DATE 5th September 2017

In any event the review and if necessary re-issue of an SDS shall be no longer than 5 years after the last date of issue.

KEY/LEGEND AS1336/1337 Industrial Eye Protection – Metric Units (Standards Australia).

AS1715/1716 Respiratory Protection Devices – Metric Units (Standards Australia).

AS2161 Industrial Safety Gloves and Mittens (Standards Australia).

CAS Chemical Abstracts Service.

EC50 Concentration which induces a response halfway between the baseline and

maximum.

EMS IMDG Emergency Schedule.
EPG Emergency Procedures Guide.
GHS Globally Harmonised System.

HSNO Hazardous Substances and New Organisms. IMDG International Maritime Dangerous Goods.

LC₅₀ Concentration required to kill half the members of a tested population after a

specified duration.

LD₅₀ Dosage required to kill half the members of a tested population after a specified

duration.

NOEC No Observed Effect Concentration.

NZIOC New Zealand Inventory of Chemicals.

SDS Safety Data Sheet. UN No. UN Nations Number.

WES-Ceiling Concentration that should not be exceeded at any time during any part of the

working day.

REFERENCES Workplace Exposure Standards-and Biological Exposure Indices – WorkSafe New Zealand.

TOXNET - ChemIDPlus Database.

IMDG Appendix B List of Marine Pollutants. IMDG Emergency Fire and Spill Codes.

UN Recommendations on the Transport of Dangerous Goods Volume 1 (17th Edition) Part 3.

This SDS has been prepared from current technical data and summarises at the date of issue our best knowledge of the health and safety information of the product, and how to safely handle and use the product in the work place. If clarification or further information is needed to ensure that an appropriate assessment can be made, the user should contact the company.

Our responsibility for products sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available upon request.

This SDS may only be reproduced in full. Summaries or excerpts from this SDS may not contain all the relevant information and thus are not permitted.