

TECHNICAL CONCEPTS

AJAN LINEN FRESH

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 02/16/2015 Revision date: 10/23/2019 Version: 2.0

SECTION 1: Identification 1.1. Identification : AJAN LINEN FRESH Product name Product code 1818046 SKU # FG400978 Recommended use and restrictions on use 1.2 Use of the substance/mixture : For professional use only Container fitted with a sealed spray attachment Detergent Odour agents 1.3. Supplier Manufacturer Other Rubbermaid Commercial Products LLC Rubbermaid Commercial Products LLC 3124 Valley Avenue 20 Hereford Street Winchester, VA 22601-2694 - USA Brampton, ON L6Y 0M1 - Canada T 1.800.347.9800 T 1.800.998.7004 www.rubbermaidcommercial.com **Emergency telephone number** 1.4. Emergency number : 24-Hour Emergency - INFOTRAC: 1-800-535-5053 (Domestic) | 1-352-323-3500 (International) SECTION 2: Hazard(s) identification **Classification of the substance or mixture** 2.1. **GHS-US** classification Flammable liquids, H226 Flammable liquid and vapour. Category 3 Skin corrosion/irritation, H315 Causes skin irritation. Category 2 Serious eye damage/eye H319 Causes serious eye irritation. irritation, Category 2A Skin sensitisation, Category H317 May cause an allergic skin reaction. Full text of H statements : see section 16 2.2. GHS Label elements, including precautionary statements **GHS US labelling** Hazard pictograms (GHS US) Signal word (GHS US) Warning Hazard statements (GHS US) H226 - Flammable liquid and vapour. H315 - Causes skin irritation. H317 - May cause an allergic skin reaction. H319 - Causes serious eye irritation. Precautionary statements (GHS US) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P280 - Wear protective gloves. P302+P352 - If on skin: Wash with plenty of water. P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P337+P313 - If eye irritation persists: Get medical advice/attention.

2.3. Other hazards which do not result in classification

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS-US classification
Alcohol	(CAS-No.) 64-17-5	10 – 20	Flam. Liq. 2, H225 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
Alcohols, C6-12, ethoxylated	(CAS-No.) 68439-45-2	1 – 10	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation:dust,mist), H332
ACETYL CEDRENE	(CAS-No.) 32388-55-9	0.1 – 1	Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
BENZYL SALICYLATE	(CAS-No.) 118-58-1	0.1 – 1	Skin Sens. 1, H317

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures		
4.1. Description of first aid measures		
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).	
First-aid measures after inhalation	: Allow affected person to breathe fresh air. Allow the victim to rest.	
First-aid measures after skin contact	: Get medical advice if skin irritation persists. Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash with plenty of water/ Wash contaminated clothing before reuse.	
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.	
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.	
4.2. Most important symptoms and effects	s (acute and delayed)	
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.	
Symptoms/effects after inhalation	: May cause an allergic skin reaction.	
Symptoms/effects after skin contact	: Causes skin irritation.	
Symptoms/effects after eye contact	: Causes serious eye irritation.	
4.3. Immediate medical attention and special treatment, if necessary		
No additional information available		
SECTION 5: Fire-fighting measures		
5.1. Suitable (and unsuitable) extinguishing	ng media	
Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.	
Unsuitable extinguishing media	: Do not use a heavy water stream.	
5.2. Specific hazards arising from the che	mical	
Fire hazard	: Flammable liquid and vapour.	
Explosion hazard	: May form flammable/explosive vapour-air mixture.	
5.3. Special protective equipment and precautions for fire-fighters		
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.	
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.	
SECTION 6: Accidental release measures		
6.1. Personal precautions, protective equi	pment and emergency procedures	
General measures	: Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.1.1. For non-emergency personnel		
Emergency procedures	: Evacuate unnecessary personnel.	
6.1.2. For emergency responders		
0.1.2. Tor emergency responders		
Protective equipment	: Equip cleanup crew with proper protection.	
Emergency procedures	: Ventilate area.	
6.2. Environmental precautions		
Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.		
i tovoni onaly to coword and public waters. Not		

6.3.	Methods and material for	containment and cleaning up
Methods	s for cleaning up	: Soak up spills wit

: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: Handle empty containers with care because residual vapours are flammable.
Precautions for safe handling	Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. No open flames. No smoking. Take precautionary measures against static discharge. Use only non-sparking tools.
Hygiene measures	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.
7.2. Conditions for safe storage, including	ng any incompatibilities
Technical measures	: Comply with applicable regulations.
Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : Direct sunlight, Heat sources, Ignition sources.
Incompatible products	: Strong bases. Strong acids.
Incompatible materials	: Sources of ignition. Direct sunlight. Heat sources.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Alcohol (64-17-5)			
DNEL	DNEL	950 mg/m³	
ACGIH	Local name	Ethanol	
ACGIH	ACGIH STEL (ppm)	1000 ppm	
ACGIH	Remark (ACGIH)	TLV® Basis: URT irr. Notations: A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans)	
ACGIH	Regulatory reference	ACGIH 2019	
OSHA	OSHA PEL (TWA) (mg/m ³)	1900 mg/m ³	
OSHA	OSHA PEL (TWA) (ppm)	1000 ppm	
OSHA	Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1	
Alcohols, C6-12, eth	Alcohols, C6-12, ethoxylated (68439-45-2)		
Not applicable			
BENZYL SALICYLA	BENZYL SALICYLATE (118-58-1)		
Not applicable			
ACETYL CEDRENE	ACETYL CEDRENE (32388-55-9)		
Not applicable			

8.2. Appropriate engineering controls

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection:

Wear protective gloves.

Eye protection:

None under normal use

Respiratory protection:

None under normal use

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical p	properties	
9.1. Information on basic physical and c	hemical properties	
Physical state	: Liquid	
	: Colourless	
	: characteristic	
Odour threshold	: No data available	
pH	: 4.2 – 5.2	
Melting point	: No data available	
Freezing point	: No data available	
Boiling point	: No data available	
Flash point	: 100 °F (38°C)	
Relative evaporation rate (butylacetate=1)	: No data available	
Flammability (solid, gas)	: Flammable liquid and vapour.	
Vapour pressure	: No data available	
Relative vapour density at 20 °C	: No data available	
Relative density	: No data available	
Solubility	: No data available	
Partition coefficient n-octanol/water (Log Pow)	: No data available	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
Viscosity, kinematic	: No data available	
Viscosity, dynamic	: No data available	
Explosive limits	: No data available	
Explosive properties	: No data available	
Oxidising properties	: No data available	
9.2. Other information		
No additional information available		
SECTION 10: Stability and reactivity		
10.1. Reactivity		
No additional information available		
10.2. Chemical stability		
Flammable liquid and vapour. May form flammable/explosive vapour-air mixture.		
10.3. Possibility of hazardous reactions		
Not established.		
10.4. Conditions to avoid		
Direct sunlight. Extremely high or low temperature	res. Open flame. Overheating. Heat. Sparks.	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

according to Federal Register / Vol. 77, No. 58 / Monday,	March 26, 2012 / Rules and Regulations		
10.5. Incompatible materials			
Strong acids. Strong bases.			
10.6. Hazardous decomposition products			
	fume. Carbon monoxide. Carbon dioxide. May release flammable gases.		
SECTION 11: Toxicological informat	-		
11.1. Information on toxicological effects			
Acute toxicity	: Not classified		
Alcohol (64-17-5)			
LD50 oral rat	7060 mg/kg		
LD50 dermal rabbit	> 16000 mg/kg		
LC50 inhalation rat (mg/l)	> 20 mg/l/4h		
ATE US (oral)	7060 mg/kg bodyweight		
Alcohols, C6-12, ethoxylated (68439-45-2)			
LD50 oral rat	200 – 2000 mg/kg		
LD50 dermal rat	> 2000		
LC50 inhalation rat (mg/l)	5 mg/l		
ATE US (oral)	200 mg/kg bodyweight		
ATE US (vapours)	5 mg/l/4h		
ATE US (dust,mist)	5 mg/l/4h		
ACETYL CEDRENE (32388-55-9)			
LD50 oral rat	≈ 5200 mg/kg		
LD50 dermal rabbit	≈ 500 mg/kg		
Skin corrosion/irritation	: Causes skin irritation.		
	pH: 4.2 – 5.2		
Serious eye damage/irritation	: Causes serious eye irritation.		
	pH: 4.2 – 5.2		
Respiratory or skin sensitisation	: May cause an allergic skin reaction.		
Germ cell mutagenicity	: Not classified		
Carcinogenicity	: Not classified		
Reproductive toxicity	: Not classified		
STOT-single exposure	: Not classified		
STOT-repeated exposure	: Not classified		
Aspiration hazard	: Not classified		
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.		
Symptoms/effects after inhalation	· May cause an allergic skin reaction		
	: May cause an allergic skin reaction. : Causes skin irritation.		
Symptoms/effects after skin contact			
Symptoms/effects after eye contact	: Causes serious eye irritation.		

SECTION 12: Ecological information

12.1. Toxicity

Alcohol (64-17-5)		
LC50 fish 1	13000 mg/l	
EC50 Daphnia 1	9300 mg/l	
EC50 other aquatic organisms 1	5012 mg/l waterflea	
EC50 other aquatic organisms 2	275 mg/l	
Alcohols, C6-12, ethoxylated (68439-45	-2)	
LC50 fish 1	1 – 10 mg/l	
6/19/2020	EN (English)	5/5

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.2. Persistence and degradability	
AJAN LINEN FRESH	
Persistence and degradability	Not established.
Alcohol (64-17-5)	
Persistence and degradability	Not established.

12.3. Bioaccumulative potential		
AJAN LINEN FRESH		
Bioaccumulative potential	Not established.	
Alcohol (64-17-5)		
Partition coefficient n-octanol/water (Log Pow)	-0.32	
Bioaccumulative potential	Not established.	

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Other information

: Avoid release to the environment.

13.1. Disposal methods	
Product/Packaging disposal recommendations : Dispos	se in a safe manner in accordance with local/national regulations.
Additional information : Handle	e empty containers with care because residual vapours are flammable.
Ecology - waste materials : Avoid	release to the environment.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Transport document description UN-No.(DOT) Proper Shipping Name (DOT) Class (DOT) Packing group (DOT) Hazard labels (DOT)

- : UN1170 Ethanol solutions, 3, III
- : UN1170
- : Ethanol solutions
- : 3 Class 3 Flammable and combustible liquid 49 CFR 173.120
- : III Minor Danger
- : 3 Flammable liquid



DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx) : 203 : 242

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Special Provisions (49 CFR 172.102)	 24 - Alcoholic beverages containing more than 70 percent alcohol by volume must be transported as materials in Packing Group II. Alcoholic beverages containing more than 24 percent but not more than 70 percent alcohol by volume must be transported as materials in Packing Group III. B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable. IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HD2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). T2 - 1.5 178.274(d)(2) Normal
DOT Packaging Exceptions (49 CFR 173.xxx)	: 4b;150
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 60 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 220 L
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Other information	: No supplementary information available.
Transportation of Dangerous Goods	
Not applicable	
Transport by sea	
Transport document description (IMDG) UN-No. (IMDG)	: UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, III : 1170
Proper Shipping Name (IMDG)	: ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
Class (IMDG)	: 3 - Flammable liquids
Packing group (IMDG)	: III - substances presenting low danger
Limited quantities (IMDG)	: 5L
Air transport	
Transport document description (IATA)	: UN 1170 Ethanol solution, 3, III
UN-No. (IATA)	: 1170
Proper Shipping Name (IATA)	: Ethanol solution
Class (IATA)	: 3 - Flammable Liquids
Packing group (IATA)	: III - Minor Danger
SECTION 15: Regulatory information	

15.1. US Federal regul	ations
	alions

Alcohol (64-17-5)				
Listed on the United States TSCA (Toxic Substances Control Act) inventory				
BENZYL SALICYLATE (118-58-1)				
Listed on the United States TSCA (Toxic Substances Control Act) inventory				
ACETYL CEDRENE (32388-55-9)				
Listed on the United States TSCA (Toxic Substances Control Act) inventory				

15.2. International regulations CANADA 06/19/2020

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Alcohol (64-17-5)		
Listed on the Canadian DSL (Domestic Substances List)		
BENZYL SALICYLATE (118-58-1)		
Listed on the Canadian DSL (Domestic Substances List)		
ACETYL CEDRENE (32388-55-9)		
Listed on the Canadian DSL (Domestic Substances List)		

EU-Regulations

No additional information available

National regulations

Alcohol (64-17-5)

Listed on IARC (International Agency for Research on Cancer)

15.3. US State regulations

Alcohol (64-17-5) U.S. - Pennsylvania - RTK (Right to Know) List

	SECTION 16: Other inform	ation
	Revision date	: 10/23/2019
Other information : None.	Other information	: None.

Full text of H-statements:

H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Indication of changes:

Section	Changed item	Change	Comments
	Precautionary statements (GHS US)	Modified	
	Revision date	Added	

SDS_US_GHS_HazCom_2012 Newell nieuw

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.