Coversheet for Overseas SDS

PLEASE ATTACH THIS COMPLETED SHEET TO THE SDS FOR:

PRODUCT:

DAZZ Window & Glass Cleaner

SDS DATE: 17 August 2021

<u>Supplier:</u> Dazz NZ Limited

3/11 Ashley Place

Papamoa, New Zealand 3118

022 646 5561 sales@dazz.co.nz www.dazz.co.nz

Emergency Contacts: National Poison Centre: 0800 764 766 (**0800 POISON**)

Dial 111

Emergency Services

(Fire, Ambulance, Police):

Hazard Identification & Regulatory Requirements:

Product Name:	DAZZ Window & Glass Cleaner
HNSO Approval Number / HSNO Group Standard:	Cleaning Products (Subsidiary Hazard) Group Standard 2020 - HSR002530
GHS7 Hazard Classifications:	skin irritation Category 2
	serious eye damage Category 1
	specific target organ toxicity—single exposure Category 3
Hazard Precautions and Statements including Class	DANGER
9 statements where applicable:	Causes skin irritation.
	Causes serious eye damage.
	May cause respiratory irritation.
	Wash hands and any exposed skin thoroughly after handling.
	Avoid breathing dust.
•	Use only outdoors or in a well-ventilated area.
	Wear protective gloves, clothing and eye / face protection.

Last revised: 20 September 2021



Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations
Date of Issue: 08/17/2021

Version: 1.0

SECTION 1: IDENTIFICATION

1.1. Product Identifier Product Form: Mixture

Product Name: DAZZ Window & Glass Cleaner
1.2. Intended Use of the Product
Use of the Substance/Mixture: Glass Cleaner

1.3. Name, Address, and Telephone of the Responsible Party

Company

SunState Laboratories 6901 W 117th Ave STE 14 Broomfield, CO 80021 720-524-8477

dazzcleaner.com

1.4. Emergency Telephone Number

Emergency Number : 720-524-8477

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the Substance or Mixture

Skin Irrit. 2 H315 Eye Dam. 1 H318 Aquatic Acute 3 H402

Comb. Dust

Full text of hazard classes and H-statements: see section 16

2.2. Label Elements

GHS-US Labeling

Hazard Pictograms (GHS-US)



Signal Word (GHS-US) : Danger

Hazard Statements (GHS-US) : May form combustible dust concentrations in air.

H315 - Causes skin irritation. H318 - Causes serious eye damage. H402 - Harmful to aquatic life.

Precautionary Statements (GHS-US) : P264 - Wash hands, forearms, and other exposed areas thoroughly after handling.

P273 - Avoid release to the environment.

P280 - Wear protective gloves, protective clothing, and eye protection.

P302+P352 - If on skin: Wash with plenty of water.

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a poison center or doctor. P321 - Specific treatment (see section 4 on this SDS).

P332+P313 - If skin irritation occurs: Get medical advice/attention. P362+P364 - Take off contaminated clothing and wash it before reuse.

P501 - Dispose of contents/container in accordance with local, regional, national,

and international regulations.

Supplemental Information: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking. Proper grounding procedures to avoid static electricity should be followed. Prevent dust accumulation (to minimize explosion hazard). Avoid

generating dust.

2.3. Other Hazards

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

2.4. Unknown Acute Toxicity (GHS-US)

No data available

08/17/2021 EN (English US) 1/7

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substance

Not applicable

3.2. Mixture

Name	Synonyms	Product Identifier	%	GHS US classification
Citric acid	2-Hydroxypropane-1,2,3-tricarboxylic acid	(CAS-No.) 77-92-9	15 - 40	Eye Irrit. 2A, H319
				Comb. Dust
Sodium bicarbonate	Baking soda	(CAS-No.) 144-55-8	10 - 30	Not classified
Disodium carbonate	Soda ash	(CAS-No.) 497-19-8	10 - 30	Eye Irrit. 2A, H319
Sodium lauryl sulfate	Dodecyl sodium sulfate	(CAS-No.) 151-21-3	10 - 30	Flam. Sol. 2, H228
(Surfactant)				Acute Tox. 4 (Oral), H302
				Skin Irrit. 2, H315
				Eye Dam. 1, H318
				STOT SE 3, H335
				Aquatic Acute 2, H401
				Aquatic Chronic 3, H412
				Comb. Dust

Full text of H-phrases: see section 16

The specific chemical identity and/or exact percentage of composition have been withheld as a trade secret [29 CFR 1910.1200].

SECTION 4: FIRST AID MEASURES

4.1. Description of First-aid Measures

First-aid Measures General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid Measures After Inhalation: Using proper respiratory protection, move the exposed person to fresh air at once. Encourage exposed person to cough, spit out, and blow nose to remove dust. Immediately call a poison center, physician, or emergency medical service.

First-aid Measures After Skin Contact: Remove contaminated clothing. Immediately drench affected area with water for at least 15 minutes. Obtain medical attention if irritation develops or persists.

First-aid Measures After Eye Contact: Immediately rinse with water for at least 30 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.

First-aid Measures After Ingestion: Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

4.2. Most Important Symptoms and Effects Both Acute and Delayed

Symptoms/Injuries: Causes skin irritation. Causes serious eye damage.

Symptoms/Injuries After Inhalation: Dust may be harmful or cause irritation.

Symptoms/Injuries After Skin Contact: Redness, pain, swelling, itching, burning, dryness, and dermatitis. **Symptoms/Injuries After Eye Contact:** Causes permanent damage to the cornea, iris, or conjunctiva.

Symptoms/Injuries After Ingestion: Ingestion may cause adverse effects.

Chronic Symptoms: None expected under normal conditions of use.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing Media

Suitable Extinguishing Media: Water spray, fog, carbon dioxide (CO₂), alcohol-resistant foam, or dry chemical. Use extinguishing media appropriate for surrounding fire.

Unsuitable Extinguishing Media: Do not use a heavy water stream. Use of heavy stream of water may spread fire.

5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard: Combustible Dust.

Explosion Hazard: Dust explosion hazard in air.

Reactivity: Hazardous reactions will not occur under normal conditions.

5.3. Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire. **Firefighting Instructions:** Use water spray or fog for cooling exposed containers.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Hazardous Combustion Products: Carbon oxides (CO, CO₂). Sulfur oxides.

08/17/2021 EN (English US) 2/7

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Other Information: Do not allow run-off from fire fighting to enter drains or water courses. Risk of dust explosion.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Avoid generating dust. Remove ignition sources. Do not breathe dust. Do not get in eyes, on skin, or on clothing. Keep away from heat, hot surfaces, sparks, open flames, and other ignition sources. No smoking.

6.1.1. For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protective equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

6.1.2. For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Ventilate area. Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit.

6.2. Environmental Precautions

Prevent entry to sewers and public waters. Avoid release to the environment.

6.3. Methods and Materials for Containment and Cleaning Up

For Containment: Contain solid spills with appropriate barriers and prevent migration and entry into sewers or streams. Avoid generation of dust during clean-up of spills.

Methods for Cleaning Up: Clean up spills immediately and dispose of waste safely. Contact competent authorities after a spill. Use explosion proof vacuum during cleanup, with appropriate filter. Do not mix with other materials. Vacuum clean-up is preferred. If sweeping is required use a dust suppressant. Use only non-sparking tools.

6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for Safe Handling

Additional Hazards When Processed: Accumulation and dispersion of dust with an ignition source can cause a combustible dust explosion. Keep dust levels to a minimum and follow applicable regulations.

Precautions for Safe Handling: Avoid creating or spreading dust. Avoid breathing dust. Do not get in eyes, on skin, or on clothing. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Keep away from heat, sparks, open flames, and hot surfaces. No smoking.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures.

7.2. Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Comply with applicable regulations. Avoid creating or spreading dust. Use explosion-proof electrical, ventilating, lighting equipment. Proper grounding procedures to avoid static electricity should be followed.

Storage Conditions: Keep container closed when not in use. Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.

Incompatible Materials: Strong acids, strong bases, strong oxidizers.

7.3. Specific End Use(s)

Glass Cleaner

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), or OSHA (PEL).

8.2. Exposure Controls

Appropriate Engineering Controls

: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed. Proper grounding procedures to avoid static electricity should be followed. Use explosion-proof equipment. Use local exhaust or general dilution ventilation or other suppression methods to maintain dust levels below exposure limits. Power equipment should be equipped with proper dust collection devices. It is recommended that all dust control equipment such as local exhaust ventilation and material transport systems involved in handling of this product contain explosion relief vents or an explosion suppression system or an oxygen-deficient environment.

08/17/2021 EN (English US) 3/7

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Personal Protective Equipment

: Gloves. Protective clothing. Protective goggles. Insufficient ventilation: wear respiratory protection.









Materials for Protective Clothing

: Chemically resistant materials and fabrics. **Hand Protection** : Wear protective gloves. : Chemical safety goggles. **Eve and Face Protection**

Skin and Body Protection

: Wear suitable protective clothing. **Respiratory Protection**

: If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory

protection.

Other Information : When using, do not eat, drink or smoke.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Physical State : Solid

: Tablet - light blue colored **Appearance**

Odor

Odor Threshold No data available No data available pН : No data available **Evaporation Rate Melting Point** : No data available **Freezing Point** No data available **Boiling Point** : No data available **Flash Point** : No data available : No data available **Auto-ignition Temperature Decomposition Temperature** : No data available Flammability (solid, gas) No data available **Vapor Pressure** : No data available : No data available Relative Vapor Density at 20°C **Relative Density** No data available Solubility : Water: Soluble Partition Coefficient: N-Octanol/Water No data available Viscosity : No data available

9.2. Other Information No additional information available

SECTION 10: STABILITY AND REACTIVITY

- **Reactivity:** Hazardous reactions will not occur under normal conditions. 10.1.
- 10.2. Chemical Stability: Stable under recommended handling and storage conditions (see section 7).
- 10.3. **Possibility of Hazardous Reactions:** Hazardous polymerization will not occur.
- Conditions to Avoid: Direct sunlight, extremely high or low temperatures, and incompatible materials. Sparks, heat, open flame and other sources of ignition. Dust accumulation (to minimize explosion hazard).
- 10.5. **Incompatible Materials:** Strong acids, strong bases, strong oxidizers.
- Hazardous Decomposition Products: Thermal decomposition may produce: Carbon oxides (CO, CO₂). Sulfur oxides. 10.6.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. **Information on Toxicological Effects**

Acute Toxicity (Oral): Not classified Acute Toxicity (Dermal): Not classified Acute Toxicity (Inhalation): Not classified

Citric acid (77-92-9)		
LD50 Oral Rat	5400 mg/kg	
LD50 Dermal Rat	> 2000 mg/kg	

08/17/2021 4/7 EN (English US)

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Sodium bicarbonate (144-55-8)		
LD50 Oral Rat	4220 mg/kg	
Sodium lauryl sulfate (151-21-3)		
LD50 Oral Rat	1288 mg/kg	
LD50 Dermal Rat	> 2000 mg/kg	
LC50 Inhalation Rat	> 3900 mg/m³ (Exposure time: 1 h)	
Disodium carbonate (497-19-8)		
LD50 Oral Rat	2800 mg/kg	
LD50 Dermal Rabbit	> 2000 mg/kg (No deaths)	
LC50 Inhalation Rat	2300 mg/m³ (Exposure time: 2 h)	

Skin Corrosion/Irritation: Causes skin irritation.

Serious Eye Damage/Irritation: Causes serious eye damage.

Respiratory or Skin Sensitization: Not classified

Germ Cell Mutagenicity: Not classified Carcinogenicity: Not classified Reproductive Toxicity: Not classified

Specific Target Organ Toxicity (Single Exposure): Not classified Specific Target Organ Toxicity (Repeated Exposure): Not classified

Aspiration Hazard: Not classified

Symptoms/Injuries After Inhalation: Dust may be harmful or cause irritation.

Symptoms/Injuries After Skin Contact: Redness, pain, swelling, itching, burning, dryness, and dermatitis. **Symptoms/Injuries After Eye Contact:** Causes permanent damage to the cornea, iris, or conjunctiva.

Symptoms/Injuries After Ingestion: Ingestion may cause adverse effects.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecology - General : Harmful to aquatic life.

Citric acid (77-92-9)	
LC50 Fish 1	1516 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)
Sodium bicarbonate (144-55-8)	
LC50 Fish 1	8250 – 9000 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
EC50 - Crustacea [1]	2350 mg/l (Exposure time: 48 h - Species: Daphnia magna)
Sodium lauryl sulfate (151-21-3)	
LC50 Fish 1	8 (8 – 12.5) mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 - Crustacea [1]	1.8 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC50 Fish 2	15 (15 – 18.9) mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
NOEC Chronic Crustacea	0.88 mg/l
Disodium carbonate (497-19-8)	
LC50 Fish 1	300 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
EC50 - Crustacea [1]	265 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC50 Fish 2	310 – 1220 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])

12.2. Persistence and Degradability

DAZZ Window & Glass Cleaner	
Persistence and Degradability	Not established.
Citric acid (77-92-9)	
Persistence and Degradability	Readily biodegradable in water.

12.3. Bioaccumulative Potential

12.3. Bloaccumulative Potential		
DAZZ Window & Glass Cleaner		
Bioaccumulative Potential	Not established.	
Citric acid (77-92-9)		
Partition coefficient n-octanol/water (Log	-1.72 (at 20 °C)	
Pow)		
Sodium lauryl sulfate (151-21-3)		
BCF Fish 1	(will not bioconcentrate)	

08/17/2021 EN (English US) 5/

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Partition coefficient n-octanol/water (Log Pow)	1.6
Disodium carbonate (497-19-8)	
BCF Fish 1	(no bioaccumulation)

- **12.4. Mobility in Soil** No additional information available
- 12.5. Other Adverse Effects

Other Information : Avoid release to the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste Treatment Methods

Waste Disposal Recommendations: Dispose of contents/container in accordance with local, regional, national, and international regulations.

Additional Information: Container may remain hazardous when empty. Continue to observe all precautions.

Ecology - Waste Materials: Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

SECTION 14: TRANSPORT INFORMATION

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

- **14.1.** In Accordance with DOT Not regulated for transport
- 14.2. In Accordance with IMDG Not regulated for transport
- 14.3. In Accordance with IATA Not regulated for transport

SECTION 15: REGULATORY INFORMATION

15.1. US Federal Regulations

DAZZ Window & Glass Cleaner		
SARA Section 311/312 Hazard Classes	Health hazard - Skin corrosion or Irritation	
	Health hazard - Serious eye damage or eye irritation	
	Physical hazard - Combustible dust	
Citric acid (77-92-9)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
Sodium bicarbonate (144-55-8)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
Sodium lauryl sulfate (151-21-3)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
Disodium carbonate (497-19-8)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		

15.2. US State Regulations Neither this product nor its chemical components appear on any US state lists, or its chemical components are not required to be disclosed

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Date of Preparation or Latest Revision

: 08/17/2021

Other Information

: This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR

1910.1200

The specific chemical identity and/or exact percentage of composition have been withheld as a trade secret [29 CFR

1910.1200].

GHS Full Text Phrases:

Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Aquatic Acute 2	Hazardous to the aquatic environment - Acute Hazard Category 2
Aquatic Acute 3	Hazardous to the aquatic environment - Acute Hazard Category 3
Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic Hazard Category 3
Comb. Dust	Combustible Dust
Eye Dam. 1	Serious eye damage/eye irritation Category 1

08/17/2021 EN (English US) 6/7

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Flam. Sol. 2	Flammable solids Category 2
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H228	Flammable solid
H302	Harmful if swallowed
H315	Causes skin irritation
H318	Causes serious eye damage
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H412	Harmful to aquatic life with long lasting effects

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

SDS US (GHS HazCom)

08/17/2021 EN (English US) 7/7