Version No. 13275-21A Date of Preparation: 29-April-2021 Supersedes: 18-October-2018

Meets requirements of Hazardous Substances (Safety Data Sheets) Notice 2017

Section 1: PRODUCT & COMPANY IDENTIFICATION

Simple Green® Industrial Cleaner & Degreaser **Product Name:**

Additional Names:

Manufacturer's Part Number: Please refer to section 16

Supplier: CIPL Pty (2021) Ltd Telephone: 0800 826 470

> 5 Greenmount Drive Email: admin@simplegreennz.com Website: www.simplegreennz.com

East Tamaki, Auckland, New Zealand

0800 764 766 **Emergency Phone:**

Recommended Uses: Heavy-Duty Cleaner & Degreaser for all rinsable water safe surfaces.

Section 2: HAZARDS IDENTIFICATION

HSNO Classification: Does not classify as hazardous **GHS Classification:** Does not classify as hazardous

Signal Word: Does not classify as hazardous, no signal word required Pictogram: Does not classify as hazardous, no pictograms required.

Hazard Statement: Does not classify as hazardous, no hazard statements required

Precautionary Statements: Does not classify as hazardous, no precautionary statements required.

Section 3: **COMPOSITION/INFORMATION ON INGREDIENTS**

| <u>Ingredient</u> | <u>CAS Number</u> | Percent Range |
|---------------------------------|---------------------|---------------|
| Water | 7732-18-5 | ≥ 85%* |
| Ethoxylated Alcohol | 68439-46-3 | ≤ 5%* |
| Sodium Citrate | 68-04-2 | ≤ 5%* |
| Tetrasodium Glutamate Diacetate | 51981-21-6 | ≤ 1%* |
| Sodium Carbonate | 497-19-8 | ≤ 1%* |
| Citric Acid | 77-92-9 | ≤ 1%* |
| Fragrance | Proprietary Mixture | ≤ 1%* |
| Colourant | Proprietary Mixture | ≤ 1%* |
| Isothiazolinone Preservative | 55965-84-9 | < 0.1%* |

^{*}exact percentage of ingredients are commercially confidential

Section 4: **FIRST AID MEASURES**

If Inhaled: If adverse effect occurs, move to fresh air. If on skin: If adverse effect occurs, rinse skin with water.

If in eyes: If adverse effect occurs, rinse the eye with large quantities of cool water; continue 10-15 minutes or until the

material has been removed; be sure to remove contact lenses, if present, and to lift upper and lower lids during

rinsing. Get medical attention if irritation persists.

If ingested: Drink plenty of water to dilute. Mild stomach or intestinal upset may occur due to detersive properties. For advice,

contact a Poisons Information Centre on 0800 734 607 or a doctor.

Workplace First Aid Facilities: Eve Wash Station or treatment recommended.

Advice to Doctor: Treat symptomatically.

Version No. 13275-21A Date of Preparation: 29-April-2021 Supersedes: 18-October-2018

Meets requirements of Hazardous Substances (Safety Data Sheets) Notice 2017

Section 5: FIRE FIGHTING MEASURES

Suitable Extinguishing Media: Use dry chemical, CO2, water spray or "alcohol" foam. Avoid high volume jet water.

Hazards from combustion products: None known.

Specific hazards arising from chemical: In event of fire created carbon oxides may be formed.

Precautions for fire-fighters and special protective clothing: Firefighters should wear self-contained breathing apparatus and full

fire-fighting turn-out gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions: Use Personal Protection Recommended in Section 8

Environmental Precautions: Prevent runoff from entering drains, sewers or waterways.

Method for Containment of large and small releases: Dike or soak up with inert absorbent material.

Method for Clean Up of large and small releases: Dilute with water and rinse into sanitary sewer system or dispose into suitable container.

Hazardous Substance (Emergency Management) Regulations 2001 requirements: none.

Section 7: HANDLING AND STORAGE

Precautions for safe handling: Before use carefully read the product label. Use of safe work practices are recommended to avoid eyes or skin contact and inhalation. Observe good personal hygiene, including washing hands before eating. Prohibit eating, drinking and smoking in contaminated area (eg. If container is damaged). Ensure adequate ventilation. Keep out of reach of children. Keep away from heat, sparks, open flame and direct sunlight. Do not pierce any part of the container.

Conditions for safe storage: Store in cool, dry, well-ventilated area, removed from oxidizing agents, acids and foodstuffs. Ensure containers are adequately labeled and protected from physical damage when not in use. Do not store at temperatures above 109°F (42.7°C). If separation occurs, mix the product for reconstitution.

Section 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

Workplace Exposure Standards: No components listed with Work Safe New Zealand WES / TWA / STEL.

Engineering Controls: Not applicable

Individual Protection Measures / Personal Protective Equipment (PPE)

Eye Contact: Use any type of protective glasses or eyewear if splashing or spray-back is likely.

Respiratory: Use in well ventilated areas with adequate airflow.

Skin Contact: Prolonged exposure or dermal sensitive individuals should use any type of protective gloves such as nitrile.

General Hygiene Considerations: Wash thoroughly after handling and before eating or drinking.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

| Appearance: | Green liquid | Odour: | Added sassafras odour |
|--------------------------------------|--------------------------|----------------------------|-----------------------|
| Physical State: | Liquid | Odour Threshold: | Not determined |
| Boiling Point ASTM D-1120: | 101°C (213.8°F) | Flash Point ASTM D-93: | non-flammable |
| Freezing Point ASTM D-1177: | 0 - 3.33°C (32 - 38°F) | Flammability: | Non flammable |
| Specific Gravity ASTM D-891: | 1.01 – 1.03 | Autoignition Temperature: | Non flammable |
| Evaporation Rate ASTM D-1901: | 1/2 Butyl Acetate @ 25°C | Decomposition Temperature: | 109oF |

Version No. 13275-21A Date of Preparation: 29-April-2021 Supersedes: 18-October-2018

Meets requirements of Hazardous Substances (Safety Data Sheets) Notice 2017

Section 9: PHYSICAL AND CHEMICAL PROPERTIES - continued

| Vapor Pressure ASTM D-323: 0.60 | | 0.60 PSI @77°F, 2.05 PSI @100°F | | Density ASTM D-4017: | | 8.42 – 8.59 lb/gal |
|---|--|---------------------------------|--------------|----------------------|-----------------|--|
| Vapor Density: | | Not determined | | Water Solubility: | | 100% |
| pH ASTM D-1293: | | 8.5 – 10.0 | | Partial Coefficient: | | not determined |
| VOCs: | VOCs: SCAQMD 304-91 / EPA 24: CARB Method 310**: | | 0 lb/gal | 0 % | | |
| | | | 0.021 lb/gal | 0.25% | **Water & fragr | **Water & fragrance exemption in calculation |
| SCAQMD Method 313: | | Not teste | d | | | |
| Nutrient Content: Phosphorous 0.00% | | | 0.00% | | | |
| Information on flammable materials: Volume of ingredients in product prevent it from becoming flammable | | | | | | le |

Section 10: STABILITY AND REACTIVITY

Chemical Stability: Stable under normal conditions 21°C (70°F) and 14.7 psig (760 mmHg)

Reactivity: Non-reactive

Conditions to avoid: Excessive heat or cold.

Incompatible materials: Do not mix with oxidizers, acids, bathroom cleaners or disinfecting agents.

Hazardous decomposition products: Normal products of combustion – CO, CO2.

Possibility of hazardous reactions: None known

Section 11: TOXICOLOGICAL INFORMATION

<u>Acute</u>

Acute Toxicity: Oral LD₅₀ (rat) > 5 g/kg body weight

Dermal LD₅₀ (rabbit) > 5 g/kg body weight

Calculated via OECD Harmonized Integrated Classification System for Human Health & Environmental Hazards of Chemical Substances and Mixtures

Chronic There have been no reports of health effects arising from long term exposure to the ingredients found within this product.

Possible Routes of exposure -

Skin corrosion/irritation: Non-irritant per Dermal Irritection® assay modeling. *No animal testing performed.* **Eye damage/irritation:** Minimal irritant per Ocular Irritection® assay modeling. *No animal testing performed*

Germ Cell Mutagenicity:

Carcinogenicity:

Reproductive toxicity:

STOT-Single Exposure:
STOT-repeated exposure:
Aspiration hazard:

No ingredients trigger or classify under this category.

Likely routes of exposure: Inhalation – Overexposure may cause headache.

Skin contact – not expected to cause irritation. Eye contact – may cause minimal eye irritation.

Ingestion – May cause upset stomach.

Symptoms related to the physical, chemical and toxicological characteristics: no symptoms expected under typical use conditions. Delayed and immediate effects and or chronic effects from short term exposure: no symptoms expected under typical use conditions. Delayed and immediate effects and or chronic effects from long term exposure: headache, dry skin, or skin irritation may occur. Interactive effects: Not known.

Version No. 13275-21A Date of Preparation: 29-April-2021 Supersedes: 18-October-2018

Meets requirements of Hazardous Substances (Safety Data Sheets) Notice 2017

Section 12: ECOLOGICAL INFORMATION

Acute Ecotoxicity: Does not classify under the criteria of HSNO or GHS. Chronic Ecotoxicty: Does not classify under the criteria of HSNO or GHS.

Environmental Effect Levels: None

Aquatic Toxicity: Low, based on toxicology profile

Terrestrial Toxicity: Low, based on toxicology profile

Persistence and degradability: Similar formulas have achieved 100% biodegradation under OECD 301D and OECD 302B testing

Mobility: No data Bioaccumulation: No data

Section 13: DISPOSAL CONSIDERATIONS

Unused Product: Deposit product in a landfill (if solidified), incinerator, or a sewage facility for treatment and disposal; or,

discharge product into the environment so that, after reasonable mixing, the concentration of the substance in

an environmental medium does not exceed any tolerable exposure limits.

Used Product: Used product may contain chemicals that will classify this waste as hazardous. Be sure to assess used product

contaminants. Deposit used product in a landfill (if solidified), incinerator, or a sewage facility for treatment and disposal; or, discharge product into the environment so that, after reasonable mixing, the concentration of the

substance in an environmental medium does not exceed any tolerable exposure limits.

Contaminated objects: Rinseable-recyclable objects can be rinsed and offered for recycling or disposed of in landfills. Non-

rinseable objects should be disposed of to landfills.

Empty Containers: Triple-rinse with water and offer for recycling if available in your area.

Never dispose of used degreasing rinsates into lakes, streams, and open bodies of water or storm drains.

Section 14: TRANSPORT INFORMATION

NZTA: Not classified as dangerous good according to the Transport of Dangerous Goods on Land (NZS5433).

IMO / IDMG: Not classified as Dangerous ICAO/ IATA: Not classified as Dangerous ADR/RID: Not classified as Dangerous

U.N. Number None Allocated Proper Shipping Name: Cleaning Compound, Liquid NOI

DG Class None Allocated Marine Pollutant: No Subsidiary Risks None Allocated HAZCHEM Code: None Packing Group None Allocated Special Precautions for Users: None.

Version No. 13275-21A Date of Preparation: 29-April-2021 Supersedes: 18-October-2018

Meets requirements of Hazardous Substances (Safety Data Sheets) Notice 2017

Section 15: REGULATORY INFORMATION

Group Standard Classification Cleaning Products (Subsidiary Hazard) Group Standard 2006, as amended 2017

HSNO Approval NO.: HSR002530

Ingredient HSNO Approval Number

Water

Ethoxylated Alcohol HSNO approval HSR003338

Sodium Citrate May be used as a single component chemical under an appropriate group standard

Tetrasodium N, N-bis(carboxymethyl)-L-

glutamate

May be used as a single component chemical under an appropriate group standard

Sodium Carbonate HSNO Approval: HSR003265

Citric Acid HSNO Approval: HSR003138

In accordance with CLEANING PRODUCTS (SUBSIDIARY HAZARD) GROUP STANDARD 2006, as amended 2010, the product label need not meet the labeling requirements of this group standard if it complies with the relevant current labeling requirements of Australia, USA or EU when it is imported.

NZIoC: All chemicals registered on New Zealand Inventory of Chemicals

Section 16: OTHER INFORMATION

Manufacturer's Part Numbers

SG13025 - 750 millilitre SG13001 - 1 litre SG13002IND - 2.5 litre SG13003IND - 4 litre SG13004 - 20 litre SG13034 - 208 litre SG13275 - 1041 litre

Prepared / Revised By: CIPL Pty (2021) Ltd Date of Preparation: 29-April-2021

Reason for Revision: Company information updated

DISCLAIMER: The information provided with this SDS is furnished in good faith and without warranty of any kind. Personnel handling this material must make independent determinations of the suitability and completeness of information from all sources to assure proper use and disposal of this material and the safety and health of employees and customers. Sunshine Makers, Inc. assumes no additional liability or responsibility resulting from the use of, or reliance on this information.