SECTION 1: Identification

1.1 GHS Product identifier

Product name Nilium Water Soluble Deorodizer - Soft Linen

330-874-1017

1.4 Supplier's details

Name	HOSPECO
Name	
Address	10966 Industrial Parkway
	Bolivar OH 44612

Telephone

1.5 Emergency phone number

US, Canada: 800-255-3924 International: +01-813-248-0585

SECTION 2: Hazard identification

2.1 Classification of the substance or mixture

GHS classification in accordance with: OSHA (29 CFR 1910.1200)

- Acute toxicity, oral, Cat. 4
- Eye damage/irritation, Cat. 1
- Skin corrosion/irritation, Cat. 2
- Specific target organ toxicity (single exposure), Cat. 2

2.2 GHS label elements, including precautionary statements

Pictogram



Signal word

Danger

Hazard statement(s) H302

H315 H318 H371 Harmful if swallowed Causes skin irritation Causes serious eye damage May cause damage to organs [organs, route]

Precautionary statement(s) P260

Do not breathe dust/fume/gas/mist/vapors/spray.

P264	Wash thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P280	Wear eye protection/face protection/protective gloves.
P301+P312	IF SWALLOWED: Call a POISON CENTER /doctor/if you feel unwell,
P302+P352	IF ON SKIN: Wash with plenty of water/
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses if present and easy to do. Continue rinsing.
P308+P311	IF exposed or concerned: Call a POISON CENTER/doctor/
P310	Immediately call a POISON CENTER/doctor/
P321	Specific treatment (see on this label).
P330	Rinse mouth.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P405	Store locked up.
P501	Dispose of contents/container to

SECTION 3: Composition/information on ingredients

3.2 **Mixtures**

Hazardous components

1. Water	
Concentration	> 75 - < 85 % (weight)
EC no.	231-791-2
CAS no.	7732-18-5

2. Nonionic Surfactant* Concentration	> 5 - < 15 % (weight)
- Acute toxicity, oral, Cat. 4 - Eye damage/irritation, Cat. 1	
H302 H318	Harmful if swallowed Causes serious eye damage
3. Sodium Xylenesulfonate* Concentration	> 0 - < 5 % (weight)
- Eye damage/irritation, Cat. 2A - Skin corrosion/irritation, Cat. 2	
H315 H319	Causes skin irritation Causes serious eye irritation

4. Fragrance* Concentration	> 0 - < 5 % (weight)
 Acute toxicity, inhalation, Cat. 4 Acute toxicity, oral, Cat. 4 Eye damage/irritation, Cat. 1 	
H302 H312 H318 H332	Harmful if swallowed Harmful in contact with skin Causes serious eye damage Harmful if inhaled
5. Nonionic Surfactant* Concentration	> 0 - < 5 % (weight)
 Acute toxicity, oral, Cat. 4 Acute toxicity, inhalation, Cat. 4 Skin corrosion/irritation, Cat. 2 Eye damage/irritation, Cat. 1 	
H302 H315 H318 H332	Harmful if swallowed Causes skin irritation Causes serious eye damage Harmful if inhaled
6. Denatured Alcohol* Concentration	> 0 - < 2 % (weight)
 Eye damage/irritation, Cat. 2A Flammable liquids, Cat. 2 Specific target organ toxicity (single 	exposure), Cat. 2
H225 H319 H371	Highly flammable liquid and vapor Causes serious eye irritation May cause damage to organs [organs, route]
7. Odor Counteractant* Concentration	> 0 - < 1 % (weight)
- Flammable liquids, Cat. 3	
H226	Flammable liquid and vapor
8. PEG-400* Concentration	> 0 - < 0.5 % (weight)

9. Preservative* Concentration	> 0 - < 0.1 % (weight)
- Skin corrosion/irritation, Cat. 1B - Sensitization, skin, Cat. 1	
H314 H317	Causes severe skin burns and eye damage May cause an allergic skin reaction
10. Citric Acid* Concentration	> 0 - < 0.1 % (weight)
- Eye damage/irritation, Cat. 2A	
H319 H335	Causes serious eye irritation May cause respiratory irritation

Trade secret statement (OSHA 1910.1200(i))

*The specific chemical identities and/or actual concentrations or actual concentration ranges for one or more listed components are being withheld as trade secrets under the US regulation 29 CFR 1910.1200(i).

SECTION 4: First-aid measures

4.1 Description of necessary first-aid measures

If inhaled	If symptomatic, move to fresh air. If not breathing, give artificial respiration. Do NOT use mouth-to-mouth resuscitation. If symptoms persist, obtain medical attention immediately.
In case of skin contact	Wash off immediately with plenty of water for at least 15 minutes. Take off contaminated clothing. Wash with soap and water. Do not apply any medicated agents except on the advice from a physician. Get medical attention if necessary.
In case of eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Do not apply any medicated agents except on the advice from a physician. Seek immediate medical attention/advice.
If swallowed	Do not induce vomiting without medical advice. Drink 2-3 large glasses of water. Call a physician or poison control center immediately. Never give anything by mouth to an unconscious person. To ensure airway is open, position with head lower than body and transport immediately to a medical facility.

SECTION 5: Fire-fighting measures

5.1 Suitable extinguishing media Dry powder. Foam. Carbon dioxide (CO2).

5.2 Specific hazards arising from the chemical

Ethanol: Carbon oxides

Reaction mass of: 5-Chloro-2-methyl4- isothiazolin-3-one and 2-Methyl-2H-isothiazol-3-one (3:1): Carbon oxide. Nitrogen oxides.

5.3 Special protective actions for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Prevent human exposure to fire, fumes, smoke and products of combustion. Evacuate non-essential personnel.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Wear chemical safety glasses with side shields or chemical goggles and heavy rubber gloves.

6.2 Environmental precautions

Prevent product from entering drains or open waters. See Section 12 for additional Ecological Information.

6.3 Methods and materials for containment and cleaning up Prevent further leakage or spillage if safe to do so. Cover and contain spill with an absorbent material such as pet litter, sand or vermiculite. Sweep up and shovel into suitable containers for disposal.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Do not eat, drink, or smoke when handling this product. Avoid contact with skin, eyes or clothing. Avoid breathing dusts. Avoid breathing vapors or mists. Use personal protection recommended in Section 8. Wash thoroughly after handling.

7.2 Conditions for safe storage, including any incompatibilities Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from excessive heat. Keep from freezing. Store only in approved containers.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

1. Ethyl alcohol (Ethanol) (CAS: 64-17-5) PEL (Inhalation): 1900 mg/m3 (OSHA) OSHA Annotated Table Z-1, www.osha.gov

REL (Inhalation): 1000 ppm (NIOSH) OSHA Annotated Table Z-1, www.osha.gov

TLV® (Inhalation): (ST) 1000 ppm; USA (ACGIH) OSHA Annotated Table Z-1, www.osha.gov

2. Ethanol (CAS: 64-17-5)

PEL (Inhalation): 1000 ppm (OSHA) OSHA Annotated Table Z-1, www.osha.gov

PEL (Inhalation): 1000 ppm (Cal/OSHA) OSHA Annotated Table Z-1, www.osha.gov

8.2 Appropriate engineering controls

Apply technical measures to comply with the occupational exposure limits. Ventilation systems. Eyewash stations. Showers.

8.3 Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection

Use approved eye protection to avoid eye contact.

Skin protection

Chemical resistant protective gloves when handling large quantities.

Respiratory protection

Where there is a potential for airborne exposures, wear NIOSH approved respiratory protection.

SECTION 9: Physical and chemical properties and safety characteristics

Basic physical and chemical properties

Appearance Color Odor Odor threshold
Melting point/freezing point Boiling point or initial boiling point and boiling range
Flammability
Lower and upper explosion limit/flammability limit Flash point
Explosive properties
Auto-ignition temperature
Decomposition temperature
Oxidizing properties
pH
Kinematic viscosity
Solubility
Partition coefficient n-octanol/water (log value) Vapor pressure
Evaporation rate
Density and/or relative density
Relative vapor density

Light blue clear liquid Blue Soft Linen No data available No data available No data available Not Flammable No data available >205PMCC No data available No data available No data available No data available 8.5-9.5 As water Water Soluble No data available No data available No data available 1.00-1.02 No data available

Particle characteristics

No data available

Supplemental information regarding physical hazard classes No data available

Further safety characteristics (supplemental) No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Not reactive under normal conditions.

- **10.2 Chemical stability** Stable under recommended storage conditions.
- **10.3 Possibility of hazardous reactions** None under normal processing.
- **10.4 Conditions to avoid** Excessive heat.

10.5 Incompatible materials

Sodium xylenesulfonate: Strong oxidizing agents

Ethanol: Alkali metals, Oxidizing agents, Peroxides

Citric acid: Oxidizing agents, Bases, Reducing agents, Nitrates

RM00331: Strong oxidizing agents, or contamination with strong acids or alkalis

10.6 Hazardous decomposition products

Water: In the event of fire: see section 5

Sodium xylenesulfonate: Other decomposition products - no data available In the event of fire: see section 5

SECTION 11: Toxicological information

Information on toxicological effects

Acute toxicity

Ethanol: ACGIH: A3 Confirmed animal carcinogen with unknown relevance to humans.

- // ----- From the Suggestion report (05/31/2023, 3:16 PM) ----- // The ATE (oral) of the mixture is: 3571.43 mg/kg bw
- // ----- From the Suggestion report (06/01/2023, 9:18 AM) ----- // The ATE (gas inhalation) of the mixture is: 45000 ppmV
- // ----- From the Suggestion report (06/01/2023, 9:18 AM) ----- // The ATE (oral) of the mixture is: 2000 mg/kg bw

Skin corrosion/irritation

Avoid contact with skin.

Serious eye damage/irritation Causes serious eye damage.

Respiratory or skin sensitization Not expected to trigger a sensitized reaction.

Carcinogenicity

Based on the information provided, this product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.

SECTION 12: Ecological information

Persistence and degradability Biodegradable

SECTION 13: Disposal considerations

Disposal methods

Product disposal

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Packaging disposal

Disposal should be in accordance with applicable regional, national and local laws and regulations.

SECTION 14: Transport information

DOT (US) Not dangerous goods

IMDG Not dangerous goods

IATA Not dangerous goods

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

No SARA Hazards

Massachusetts Right To Know Components

Chemical name: Ethanol CAS number: 64-17-5

New Jersey Right To Know Components

Common name: ETHYL ALCOHOL CAS number: 64-17-5

New Jersey Right To Know Components

Sodium xylenesulphonate CAS-No. 1300-72-7

Pennsylvania Right To Know Components

Chemical name: Ethanol CAS number: 64-17-5

Pennsylvania Right To Know Components

Sodium xylenesulphonate CAS-No. 1300-72-7

Toxic Substances Control Act (TSCA) Inventory

All substances listed as active on the TSCA inventory

California Prop. 65 Components

This product contains no listed substances known to the State of California to cause cancer, birth defects, or other reproductive harm, at levels which would require a warning under the statute.

HMIS Rating

Nilium Water Soluble Deorodizer - Soft	
Linen	
HEALTH	2
FLAMMABILITY	1
PHYSICAL HAZARD	0
PERSONAL PROTECTION	

NFPA Rating



SECTION 16: Other information

This Safety Data Sheet is offered solely for your information, consideration and investigation. There are no warranties, either expressed or implied and no responsibility is assumed for the accuracy or completeness of the data contained herein.